

# **TOBACCO MARKET REVIEW**

---

## **FLUE-CURED**

---

**1979 CROP**


**TOB-FL-23**

**U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE**

**WASHINGTON, D.C. MAY 1980**

# Flue-Cured Tobacco Auction Markets and Marketing Areas

1979 Season



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

## CONTENTS

	Page
Review of marketing season . . . . .	4
Warehouse charges . . . . .	5
Average basket weight . . . . .	5
Receipts under government loan program . . . . .	5
Allotted sales opportunities . . . . .	6
Initial and final designations . . . . .	7
Opening and closing dates . . . . .	8-9
Producers' sales by types . . . . .	10
Gross sales and resales by types . . . . .	10-11
Across-state-line sales . . . . .	11
Producers' sales by markets . . . . .	12-13
Gross sales by markets . . . . .	14-15
Resales by markets . . . . .	16-17
Rank of auction markets . . . . .	18
Season prices and schedule of loan rates by grades . . . . .	19-21
Weekly and season prices by grades, type 11 . . . . .	22-23
Weekly and season prices by grades, type 12 . . . . .	24-25
Weekly and season prices by grades, type 13 . . . . .	26-27
Weekly and season prices by grades, type 14 . . . . .	28
Brief of flue-cured tobacco grades . . . . .	29
Composition of crop . . . . .	30-31
Percentage distribution of grades by types . . . . .	32-33
Percentage distribution of marketing by maturity . . . . .	33
Percentage distribution, all flue-cured . . . . .	34-35
Average prices by grade group and type . . . . .	35

The statistics on sales and markets in this review were compiled from reports and records of the State Departments of Agriculture of Florida, Georgia, South Carolina, North Carolina, and Virginia; and from data furnished by marketing recorders employed through county ASCS offices; and from information received direct from markets and trade sources. The statistics on prices by grades were based on compilation of data recorded from warehouse sales tickets from representative markets in the flue-cured area.

**Review of the 1979 flue-cured marketing season**

Net value of \$1,320.3 million  
Grade averages improve  
Volume down sharply  
Quality similar to 1978  
Loan receipts increase

The 1979 crop of flue-cured tobacco was the smallest since the 1943 crop and marked only the third time in the last 36 years a crop totaled less than 1 billion pounds. Lower effective quotas and a serious outbreak of field blue mold disease were major factors in the reduced volume. Demand was light to moderate for early July auctions but improved considerably in August and September. Prices held fairly firm for late marketings in contrast to the usual end of the season trend. As a result of the light volume, 1979 experienced the shortest marketing season on record.

Sales and averages. Producers received an average price of \$140.02 per 100 pounds for the 1979 crop - a gain of \$4.95 from 1978. Net sales at auction of 942.9 million pounds were down 21.5 percent from last year. Net value of 1,320.3 million dropped 18.7 percent from the 1978 return.

Grade averages. Gains over the 1978 crop of \$1 to \$4 per 100 pounds were recorded on most individual grades this season. Tobacco in the priming and nondescript groups were up generally \$4 to \$9 per 100 pounds. Only 10 percent of the grade averages were lower than last season. Most losses occurred on better quality leaf tobacco as a result of the practical top reaching only \$155 in 1979 as opposed to \$160 per 100 pounds in 1978. The gains were fairly consistent in all belts except the Georgia-Florida Belt where over 80 percent of the averages declined from 1978 levels. This area sold unusually strong in 1978 with many grades averaging from \$155 to \$160 per 100 pounds for the season.

Composition of offerings. Quality of the 1979 crop changed very little from 1978. A 2-percent shift from nondescript to lugs occurred with minimal changes in other groups. Perhaps the most significant improvement was a 5-percent increase in fair tobacco with declines in tobacco grading poor and low quality. Upper stalk grades accounted for just under 70 percent of the crop, lugs 17 percent, primings 9 percent, and nondescript 4 percent. From a maturity standpoint, 53 percent place in mature to mellow grades with 42 percent considered immature to unripe. The three heaviest volume grades and their percentages were: B4KM (10.5); B4F (7.6); and B4KF (4.9). Completing the top 10 grades were: B4K (4.6); B5K (3.4); X4F (3.2); B5KM (3.1); C4KM (2.9); B5KF (2.8); and B5F (2.7). These 10 grades accounted for 45.7 percent of total flue-cured sales.

Stabilization receipts. Poundage placed under loan increased slightly in 1979. A total of 69.8 million pounds was delivered to the Flue-Cured Stabilization Corporation compared to 63.6 million in 1978. However, considerably more of this was from upper stalk positions with very little primings and nondescript received by the Corporation. A breakdown of receipts by groups follows:

Group	1979	- - - Percent - - -		1978			
		Leaf (B)	Smoking leaf (H)	Cutters (C)	Lugs (X)	Primings (P)	Nondescript (N)
Leaf (B)	60.8				49.0		
Smoking leaf (H)	1.1				1.6		
Cutters (C)	8.6				7.0		
Lugs (X)	28.3				32.3		
Primings (P)	0.8				8.0		
Nondescript (N)	0.4				2.2		

Loan rates. Loan rates by grades for the 1979 crop reflected an average support level of 129.3 cents per pound compared to 121.0 cents for the 1978 crop. Eligible growers were required to certify they had not used DDT or TDE insecticides on their crops. Random samplings were conducted by the Agricultural Stabilization and Conservation Service to check for compliance.

Marketing regulations. This was the sixth season under the grower designation plan. The basic provisions of the plan are: growers can designate their quota to individual warehouses within a 100-mile radius of the county seat of the county in which the farm is located and receive price support (sales outside a grower's radius are not eligible for price support); designations can be changed during the season at specified intervals or at any time in certain cases; a Flue-Cured Tobacco Advisory Committee advises the Secretary of Agriculture on marketing conditions and recommends adjustments during the season. The plan is designed to allow growers the opportunity to sell tobacco at the warehouse of their choice in their marketing area.

Preliminary 1980 quota. The basic quota for 1980 will be unchanged at 1,095.0 million pounds. Under quota marketings from the 1979 crop of about 92.0 million pounds makes the preliminary 1980 effective quota 1,187.0 million pounds, an 11-percent increase from the 1979 effective quota.

Table 1--Auction sales warehouse charges on flue-cured markets, 1979 crop.

State	Type	Auction fee <u>1/</u>	Commission on gross sales <u>1/</u>	Additional charges
			<u>Percent</u>	
Florida	14	15 cents on all piles	2-1/2	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and
Georgia	14	of 100 pounds or less	2-1/2	10 cents for each additional 100 pounds.
North Carolina	11-13	and 25 cents on all piles over 100 pounds	2-1/2	
South Carolina	13		2-1/2	
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under state law.

Table 2--Average weight per lot of flue-cured tobacco, 1974 to 1979 1/

Crop	Type 11	Type 12	Type 13	Type 14	Type 11 - 14
	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>
1974 <u>2/</u>	183	184	186	192	186
1975	174	179	184	189	180
1976	178	179	180	189	180
1977	178	175	174	184	177
1978	180	182	183	188	182
1979	185	183	181	186	184

1/ Data for years prior to 1974 may be found in the 1978 and earlier issues of the market review.

2/ Beginning in 1974 the maximum allowable pounds were increased from 200 pounds to 250 pounds per pile.

Table 3--Flue-cured tobacco received by the Stabilization Corporation and percentage of net auction sales, 1977-1979 crops 1/.

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lbs.</u>	<u>Percent</u>	<u>1,000 lbs.</u>	<u>Percent</u>	<u>1,000 lbs.</u>	<u>Percent</u>
1977	107,612	29.3	54,602	14.7	20,356	8.9
1978	25,722	7.0	24,742	5.7	9,155	3.6
1979	25,122	8.5	25,730	8.0	12,343	6.2

Crop	Type 14		Types 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lbs.</u>	<u>Percent</u>	<u>1,000 lbs.</u>	<u>Percent</u>
1977	10,515	6.7	193,085	17.2
1978	3,972	2.7	63,591	5.3
1979	6,629	5.3	69,824	7.4

1/ Data for year prior to 1977 may be found in the 1978 and earlier issues of the market review.

Table 4--Allotted sales opportunities compared to producers' sales, 1979 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D 5/		Marketing area E 5/		Total flue-cured			
	Sets of buyers	Sales prod.	Sets of buyers	Sales prod.	Sets of buyers	Sales prod.	Sets of buyers	Sales prod.	Sets of buyers	Sales prod.	Sets of buyers	Prod. sales 3/		
July 19	18	14,010	6,082	21	15,773	10,762	-----	-----	-----	-----	39	29,783 16,844		
July 26	18	27,997	15,163	21	31,507	17,623	21	23,979 21,363	-----	-----	60	83,483 54,149		
Aug. 02	18	27,977	21,613	21	31,540	22,269	21	31,968 27,798	4	4,300 2,428	64	95,785 74,108		
Aug. 09	9	14,869	14,618	14	22,669	20,922	25	38,423 32,392	4	5,447 3,107	14	16,114 10,467		
Aug. 16	9	12,898	12,949	14	22,552	22,053	25	38,532 35,579	4	5,447 3,718	14	21,140 14,242		
Aug. 23	9	11,944	11,961	14	19,656	19,522	25	36,215 35,469	4	5,283 4,592	14	19,799 16,793		
Aug. 30	9	10,956	11,090	14	18,059	18,052	25	33,147 33,147	4	4,480 4,514	14	18,583 18,546		
Sept. 06	9	8,135	8,020	14	13,541	11,641	25	24,903 24,715	4	3,740 3,699	14	13,542 13,573		
Sept. 13	9	13,248 4/ 13,248	14	19,187	19,232	25	33,163 33,274	4	4,859 4,871	14	18,163 18,159	66	88,620 88,784	
-6	Sept. 20	9	9,410 4/ 9,410	14	18,165	18,326	25	33,056 32,929	4	4,984 4,959	14	18,269 18,171	66	83,884 83,795
Sept. 27	1	430 4/ 430	14	16,694 4/ 16,694	29	37,723 37,839	4	5,576 5,562	14	20,950 20,957	66	81,373 81,482		
Oct. 04	Closed	4	3,610 4/ 3,610	29	37,731 33,148	4	5,576 5,192	18	20,946 20,680	55	67,863 62,630			
Oct. 11	--	Closed	29	31,486 11,793	4	4,673 3,592	18	17,575 16,863	51	53,734 32,248				
Oct. 18	--	--	20	10,596 2,878	4	6,532 2,614	18	24,695 19,152	42	41,823 24,644				
Oct. 25	--	--	4	3,340 862	4	6,532 1,458	18	24,763 11,857	26	34,635 14,177				
Nov. 01	--	--	Closed	4	6,532 118	18	24,763 3,653	22	31,295 3,771					
Nov. 08	--	--	--	Closed	3	400 2/ 400	3	400 2/ 400	3	400 2/ 400				
	Closed Sept. 25, 1979	Closed Oct. 4, 1979	Closed Oct. 23, 1979	Closed Oct. 15, 1979	Closed Nov. 8, 1979									

1/ Based on grower designations. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Clean-up sales.

3/ Derived from weekly market news reports. Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 250 pounds.

4/ Close-out for area. Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

5/ Areas D and E shared 1 set of buyers from week of August 9 through week ending September 20. This set is counted in both areas in this table.

Table 5--Initial and final designation of the 1979 flue-cured crops 1/

Marketing area "A"			Marketing area "C"		
Market	Initial	Final	Market	Initial	Final
<b>Georgia:</b>			<b>North Carolina:</b>		
Adel	4,750,665	4,877,318	Aberdeen	7,301,630	7,228,612
Alma	5,761,574	5,504,854	Ahoskie	8,143,399	8,396,415
Baxley	3,899,281	4,141,583	Carthage	10,605,023	10,079,159
Blackshear	8,155,394	8,107,900	Clinton	16,913,294	17,057,783
Claxton	5,647,029	5,609,470	Dunn	13,738,005	13,134,012
Douglas	12,557,879	12,683,702	Farmville	28,971,581	29,242,521
Fitzgerald	4,161,411	4,531,969	Fuquay-Varina	23,888,105	23,705,149
Hahira	3,392,853	3,313,551	Goldsboro	29,211,067	30,272,468
Hazlehurst	3,725,452	3,984,786	Greenville	46,952,214	47,159,593
Metter	3,602,176	3,753,027	Kinston	43,145,603	44,531,575
Moultrie	12,727,474	13,469,560	Robersonville	7,354,391	7,488,115
Nashville	9,159,293	9,470,717	Rocky Mount	29,568,139	29,641,859
Pelham	5,484,681	5,846,122	Sanford	12,321,041	12,176,316
Statesboro	4,981,206	5,109,033	Smithfield	20,564,071	20,467,855
Thomasville	2,194,455	2,365,727	Tarboro	5,339,308	5,106,345
Tifton	7,948,237	7,784,138	Wallace	11,119,073	11,121,920
Valdosta	10,117,671	10,076,600	Washington	8,616,368	8,587,031
Vidalia	8,994,525	9,027,469	Wendell	10,044,579	9,847,125
Waycross	3,388,754	3,477,857	Williamston	12,110,379	12,333,135
<b>Total Georgia</b>	<b>120,650,010</b>	<b>123,135,383</b>	Wilson	83,218,515	83,574,847
			Windsor	10,718,632	10,655,450
<b>Florida:</b>			<b>Total area "C"</b>	<b>439,844,417</b>	<b>441,807,285</b>
High Springs	4,032,024	3,793,173	<b>Marketing area "D"</b>		
Jasper	1,733,206	1,691,708	<b>North Carolina:</b>		
Lake City	4,518,364	4,827,877	Durham	14,002,588	14,738,422
Live Oak	10,401,003	10,445,137	Henderson	14,262,114	14,765,843
Madison	2,455,945	2,341,159	Louisburg	7,797,815	7,948,541
<b>Total Florida</b>	<b>23,140,542</b>	<b>23,099,054</b>	Oxford	14,437,525	14,992,179
<b>Total area "A"</b>	<b>143,790,552</b>	<b>146,234,437</b>	Warrenton	7,477,295	7,780,951
<b>Marketing area "B"</b>			<b>Total area "D"</b>	<b>57,977,337</b>	<b>60,225,936</b>
<b>Marketing area "E"</b>			<b>Marketing area "E"</b>		
<b>South Carolina:</b>			<b>North Carolina:</b>		
Conway	10,815,801	10,794,626	Burlington	5,107,595	5,058,774
Darlington	7,704,007	7,489,723	Greensboro	4,958,045	4,682,453
Dillon	3,064,360	2,856,960	Madison	6,702,595	6,945,860
Hemingway	6,499,618	6,472,988	Mebane	6,589,112	5,903,199
Kingstree	8,014,566	7,989,773	Mt. Airy	11,124,119	11,733,277
Lake City	36,959,664	38,139,226	Reidsville	17,685,327	18,101,821
Loris	8,629,352	8,495,731	Roxboro	15,168,592	15,638,781
Mullins	34,171,431	34,780,315	Stoneville	10,394,885	10,501,387
Pamplico	5,786,728	5,692,709	Winston-Salem	45,833,837	46,430,217
Timmonsville	8,696,205	8,595,326	Yadkinville	6,428,481	6,412,132
<b>Total S.C.</b>	<b>130,341,732</b>	<b>131,307,377</b>	<b>Total N.C.</b>	<b>129,992,588</b>	<b>131,407,901</b>
<b>North Carolina:</b>			<b>Virginia:</b>		
Chadbourn	15,124,602	15,942,570	Brookneal	8,966,087	9,038,080
Clarkton	4,871,414	4,931,420	Chase City	5,967,843	6,207,758
Fair Bluff	6,598,721	6,369,319	Clarksville	6,529,500	6,617,413
Fairmont	28,412,686	28,834,716	Danville	44,524,848	45,420,585
Lumberton	21,527,434	21,746,092	Kenbridge	4,786,671	4,866,952
Tabor City	13,453,804	13,725,310	Lawrenceville	7,564,215	8,064,037
Whiteville	17,469,881	17,740,772	Martinsville	5,758,141	5,791,742
<b>Total N.C.</b>	<b>107,458,542</b>	<b>109,290,199</b>	Petersburg	4,206,148	4,295,054
<b>Total area "B"</b>	<b>237,800,274</b>	<b>240,597,576</b>	South Boston	19,947,638	20,271,558
			South Hill	8,995,708	9,506,416
			<b>Total Virginia</b>	<b>117,246,799</b>	<b>120,079,595</b>
			<b>Total area "E"</b>	<b>247,239,387</b>	<b>251,487,496</b>
			<b>Total flue-cured</b>	<b>1,126,651,967</b>	<b>1,140,352,730</b>

1/ Growers allowed to designate 110 percent of their effective quota.

Table 6--Opening and closing dates of marketing season; sales floors of flue-cured tobacco sold at auction in the United States by types, states and markets, 1979 and 1978 crops

States and markets	Type 11 - Old and Middle Belt flue-cured							
	Markets	1979		1978		Sales floors	Sales days	Closing dates
		Opening dates	Closing dates	Sales days	Opening dates			
Virginia:	Number			Number	Number			
Brookneal	Aug. 7	Nov. 6	27	4	Aug. 15	Nov. 20	31	4
Chase City	Aug. 7	Nov. 5	20	4	Aug. 16	Nov. 21	21	4
Clarksville	Aug. 8	Nov. 5	20	3	Aug. 16	Nov. 20	20	3
Danville	Aug. 7	Oct. 31 1/	48	8	Aug. 15	Nov. 21	55	9
Kenbridge	Aug. 8	Nov. 1	16	4	Aug. 17	Nov. 15	18	4
Lawrenceville	Aug. 8	Oct. 30	22	3	Aug. 15	Nov. 16	24	3
Martinsville	Aug. 8	Oct. 29	18	2	Aug. 16	Nov. 15	20	2
Petersburg	Aug. 9	Oct. 31	14	4	Aug. 17	Nov. 15	15	4
South Boston	Aug. 7	Nov. 7	49	10	Aug. 15	Nov. 21	54	10
South Hill	Aug. 7	Nov. 1	26	4	Aug. 15	Nov. 21	29	4
Total	10			46				47
North Carolina:								
Aberdeen	July 24	Oct. 11	20	3	Aug. 2	Nov. 7	20	3
Burlington	Aug. 8	Oct. 22	15	3	Aug. 15	Nov. 14	23	3
Carthage	July 25	Oct. 11	27	4	Aug. 1	Nov. 6	31	4
Durham	July 31	Oct. 24	41	5	Aug. 8	Nov. 14	48	5
Ellerbe	No sales held in 1979				Aug. 10	Oct. 18	5	3
Fuquay-Varina	July 24	Oct. 15	46	8	Aug. 1	Nov. 9	56	8
Greensboro	Aug. 9	Oct. 18	15	2	Aug. 17	Nov. 9	17	2
Henderson	July 31	Oct. 25	44	5	Aug. 8	Nov. 15	48	5
Louisburg	July 31	Oct. 23	22	4	Aug. 8	Nov. 14	29	4
Madison	Aug. 8	Oct. 30	21	4	Aug. 15	Nov. 15	27	3
Mebane	Aug. 7	Oct. 23	19	1	Aug. 16	Nov. 13	18	2
Mt. Airy	Aug. 7	Oct. 29	33	6	Aug. 15	Nov. 16 2/	43	5
Oxford	July 31	Oct. 30	41	7	Aug. 8	Nov. 15 2/	48	7
Reidsville	Aug. 7	Oct. 29	45	4	Aug. 15	Nov. 14	51	4
Roxboro	Aug. 7	Oct. 25	36	6	Aug. 15	Nov. 16	45	6
Sanford	July 25	Oct. 15	32	4	Aug. 2	Nov. 8	41	4
Stoneville	Aug. 7	Oct. 30	36	3	Aug. 15	Nov. 15	40	3
Warrenton	Aug. 1	Oct. 25	21	6	Aug. 9	Nov. 16	28	6
Winston-Salem	Aug. 7	Oct. 29 1/	45	8	Aug. 15	Nov. 16 2/	53	8
Yadkinville	Aug. 8	Oct. 17	18	5	Aug. 16	Nov. 13	20	5
Total	19			88				90
Total type 11	29			134				137

Type 12 - Eastern North Carolina flue-cured

North Carolina:	Type 12 - Eastern North Carolina flue-cured							
	Markets	1979		1978		Sales floors	Sales days	Closing dates
		Opening dates	Closing dates	Sales days	Opening dates	Number	Number	
Ahoskie	July 25	Oct. 23	24	3	Aug. 2	Nov. 7	24	3
Clinton	July 24	Oct. 11	43	6	Aug. 1	Nov. 8	54	6
Dunn	July 24	Oct. 10	36	5	Aug. 1	Nov. 7	49	6
Farmville	July 24	Oct. 11	45	10	Aug. 1	Nov. 9	57	9
Goldsboro	July 24	Oct. 11	45	9	Aug. 1	Nov. 8	56	9
Greenville	July 24	Oct. 11	44	10	Aug. 1	Nov. 14	58	10
Kinston	July 24	Oct. 11	45	8	Aug. 1	Nov. 8	56	8
Robersonville	July 24	Oct. 10	19	4	Aug. 2	Nov. 7	28	4
Rocky Mount	July 24	Oct. 22	50	8	Aug. 1	Nov. 9	57	8
Smithfield	July 24	Oct. 10	44	6	Aug. 1	Nov. 9	57	6
Tarboro	July 25	Oct. 16	14	3	Aug. 3	Nov. 6	20	3
Wallace	July 24	Oct. 4	32	4	Aug. 1	Nov. 7	38	4
Washington	July 25	Oct. 11	22	3	Aug. 2	Nov. 8	34	4
Wendell	July 24	Oct. 11	29	6	Aug. 1	Nov. 8	42	6
Williamston	July 24	Oct. 11	26	5	Aug. 1	Nov. 8	42	4
Wilson	July 24	Oct. 22	49	19	Aug. 1	Nov. 14	59	19
Windsor	July 24	Oct. 16	26	4	Aug. 1	Nov. 7	32	5
Total type 12	17			113				114

1/ Winston-Salem and Danville clean-up sales held November 8, 1979.

2/ Mt. Airy clean-up sale held Dec. 1, 1978, Oxford clean-up sale held Nov. 22, 1978 and Winston-Salem clean-up sale held Nov. 30, 1978.

Table 6--Opening and closing dates of marketing season; sales floors of flue-cured tobacco sold at auction in the United States by types, states and markets, 1979 and 1978 crops--continued

States and markets	Type 13 - South Carolina and Border North Carolina flue-cured								
	1979				1978				
	Markets	Opening dates	Closing dates	Sales days	Sales floors	Opening dates	Closing dates	Sales days	Sales floors
<b>South Carolina:</b>									
Conway		July 18	Sep. 27	29	4	July 26	Oct. 23	39	4
Darlington		July 18	Sep. 25	21	4	July 26	Oct. 26	24	4
Dillon		July 19	Oct. 1	10	3	July 27	Oct. 25	15	3
Hemingway		July 19	Sep. 25	18	2	July 27	Oct. 23	27	2
Kingstree		July 18	Sep. 27	22	4	July 26	Oct. 25	28	4
Lake City		July 18	Oct. 2	42	8	July 26	Oct. 25	51	7
Lamar		No sales held in 1979		-		July 31	Aug. 21	3	2
Loris		July 18	Sep. 26	23	3	July 26	Oct. 19	28	3
Mullins		July 18	Sep. 27	41	11	July 26	Oct. 24	50	11
Pamplico		July 19	Sep. 26	15	4	July 26	Oct. 25	26	4
Timmonsville		July 18	Sep. 27	23	3	July 26	Oct. 24	31	3
Total	10			46				47	
<b>North Carolina:</b>									
Chadbourn		July 18	Oct. 1	38	4	July 26	Oct. 30	39	3
Clarkton		July 19	Oct. 4	16	3	July 27	Oct. 31	19	3
Fair Bluff		July 18	Sep. 25	18	5	July 26	Oct. 24	23	5
Fairmont		July 18	Oct. 4	45	9	July 26	Oct. 31	54	10
Fayetteville		No sales held in 1979		-		July 26	Oct. 2	5	1
Lumberton		July 18	Oct. 4	45	9	July 26	Oct. 30	53	9
Tabor City		July 18	Oct. 2	34	3	July 26	Oct. 23	37	3
Whiteville		July 18	Oct. 2	42	8	July 26	Oct. 26	51	9
Total	7			41				43	
<b>Total type 13</b>	17			87				90	
<b>Type 14 - Georgia and Florida flue-cured</b>									
<b>Georgia:</b>									
Adel		July 18	Sep. 18	16	3	July 19	Sep. 25	18	3
Alma		July 18	Sep. 11	14	5	July 19	Sep. 26	16	5
Baxley		July 18	Sep. 19	12	6	July 20	Oct. 4	16	5
Blackshear		July 19	Sep. 13	20	5	July 19	Sep. 25	27	5
Claxton		July 18	Sep. 17	17	2	July 19	Oct. 4	23	2
Douglas		July 18	Sep. 24	30	4	July 19	Oct. 3	36	4
Fitzgerald		July 19	Sep. 20	12	2	July 19	Oct. 2	15	2
Hahira		July 19	Sep. 12	11	4	July 20	Sep. 19	13	4
Hazlehurst		July 19	Sep. 17	12	4	July 19	Sep. 28	15	4
Metter		July 19	Sep. 20	11	1	July 20	Oct. 4	15	1
Moultrie		July 18	Sep. 20	32	6	July 19	Sep. 28	36	6
Nashville		July 18	Sep. 20	25	4	July 19	Sep. 28	33	4
Pearson		No sales held in 1979				July 27	Aug. 28	2	1
Pelham		July 18	Sep. 17	18	2	July 19	Sep. 28	27	2
Statesboro		July 18	Sep. 19	16	5	July 19	Oct. 5	21	5
Thomasville		July 19	Sep. 18	8	2	July 21	Sep. 20	7	2
Tifton		July 18	Sep. 20	22	3	July 19	Sep. 27	29	3
Valdosta		July 18	Sep. 20	27	4	July 19	Sep. 25	30	4
Vidalia		July 18	Sep. 25	25	6	July 19	Oct. 5	33	6
Waycross		July 25	Sep. 4	7	2	July 20	Sep. 20	12	2
Total	19			70				70	
<b>Florida:</b>									
High Springs		July 19	Sep. 18	12	3	July 19	Sep. 14	12	3
Jasper		July 23	Sep. 13	5	2	July 24	Sep. 13	6	2
Lake City		July 18	Sep. 12	12	3	July 20	Sep. 19	14	3
Live Oak		July 18	Sep. 19	25	5	July 19	Sep. 18	25	6
Madison		July 19	Sep. 18	8	2	July 20	Sep. 19	9	2
Total	5			15				16	
<b>Total type 14</b>	24			85				86	
<b>Total 11-14</b>	87			419				427	

Table 7--Producers' sales, value and average price by types for flue-cured tobacco, crops of 1974 to 1979 <sup>1/</sup>

Type 11 - Old and Middle Belt				Type 12 - Eastern North Carolina			
Crop 2/	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1974	366,332,632	388,549,989	106.06	1974	407,007,009	431,331,721	105.98
1975	400,832,258	394,336,519	98.38	1975	506,560,874	512,413,345	101.16
1976	434,999,525	465,350,359	106.98	1976	461,764,674	521,621,734	112.96
1977	366,808,557	417,330,219	113.77	1977	370,468,041	439,097,186	118.52
1978	367,998,997	485,041,730	131.81	1978	437,339,128	586,891,858	134.20
1979	297,253,267	415,924,990	139.92	1979	319,873,433	445,310,458	139.21

Type 13 - South Carolina and Border North Carolina

Type 13 - South Carolina and Border North Carolina				Type 14 - Georgia and Florida			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1974	277,759,577	288,606,699	103.91	1974	188,993,215	194,378,265	102.85
1975	321,370,317	320,557,161	99.74	1975	181,844,805	181,893,846	100.03
1976	261,101,557	293,115,049	112.26	1976	155,051,397	170,813,390	110.17
1977	227,599,029	282,038,620	123.92	1977	156,528,836	181,232,258	115.78
1978	251,200,323	344,041,868	136.96	1978	145,288,241	207,376,974	142.73
1979	200,820,411	284,338,463	141.59	1979	124,973,269	174,685,006	139.78

Types 11-14 - Total flue-cured

Types 11-14 - Total flue-cured				Types 11-14 - Total flue-cured			
Crop 2/	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1974	1,240,092,433	1,302,866,674	105.06	1977	1,121,404,463	1,319,698,283	117.68
1975	1,410,608,254	1,409,200,871	99.90	1978	1,201,826,689	1,623,352,430	135.07
1976	1,312,917,153	1,450,900,532	110.51	1979	942,920,380	1,320,258,917	140.02

1/ Auction sales only. Does not include carry-over tobacco, nonauction sales or direct deliveries.

2/ Data for years prior to 1974 may be found in the 1978 and earlier issues of the market review.

Table 8--Gross sales, value and average price; resales, average price and percentage of gross sales by types for flue-cured tobacco, crops of 1974 to 1979.

Type 11 - Old and Middle Belt			
Gross		Resales	
Crop 1/	Sales Pounds	Value Dollars	Average price Dollars
1974	383,300,378	406,140,228	105.96
1975	417,535,807	410,987,195	98.43
1976	452,830,681	485,203,903	107.15
1977	385,256,228	439,235,153	114.01
1978	391,103,294	515,946,150	131.92
1979	318,902,173	446,535,573	140.02

Type 12 - Eastern North Carolina

Type 12 - Eastern North Carolina			
Gross		Resales	
Crop 1/	Sales Pounds	Value Dollars	Average price Dollars
1974	419,898,578	444,697,425	105.91
1975	523,294,455	529,244,007	101.14
1976	480,139,814	542,638,536	113.02
1977	388,914,382	461,020,721	118.54
1978	465,606,347	624,550,827	134.14
1979	343,039,128	477,461,168	139.19

See footnote at end of table.

Table 8--Gross sales, value and average price; resales, average price and percentage of gross sales by types for flue-cured tobacco, crops of 1974 to 1979--continued.

Type 13 - South Carolina and Border North Carolina

Crop 1/	Gross			Resales		
	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1974	290,214,356	301,501,762	103.89	12,454,779	103.54	4.3
1975	337,295,149	336,862,452	99.87	15,924,832	102.39	4.7
1976	274,533,411	308,368,439	112.32	13,431,854	113.56	4.9
1977	242,521,480	301,064,572	124.14	14,922,451	127.50	6.2
1978	272,244,858	373,061,481	137.03	21,044,535	137.90	7.7
1979	219,417,784	310,800,468	141.65	18,597,373	142.29	8.5

Type 14 - Georgia and Florida

1974	197,751,953	203,205,014	102.76	8,758,738	100.78	4.4
1975	190,579,943	190,808,798	100.12	8,735,138	102.06	4.6
1976	162,761,434	179,368,837	110.20	7,710,037	110.97	4.7
1977	169,195,099	196,094,691	115.90	12,666,263	117.34	7.5
1978	160,110,020	227,934,602	142.36	14,821,779	138.70	9.3
1979	137,626,923	192,409,431	139.81	12,653,654	140.07	9.2

Types 11-14 - Total flue-cured

1974	1,291,165,265	1,355,544,429	104.99	51,072,832	103.14	4.0
1975	1,468,705,354	1,467,902,452	99.95	58,097,100	101.04	4.0
1976	1,370,265,340	1,515,579,715	110.60	57,348,187	112.78	4.2
1977	1,185,887,189	1,397,415,137	117.84	64,482,726	120.52	5.4
1978	1,289,064,519	1,741,493,060	135.10	87,237,830	135.42	6.8
1979	1,018,986,008	1,427,206,640	140.06	76,065,628	140.60	7.5

1/ Data for years prior to 1974 may be found in the 1978 and earlier issues of the market review.

Table 9--Across-state-line movement of flue-cured tobacco reflecting net sales in States other than in the State in which produced, 1979 and 1978 crops 1/

State in which produced and crop year	Total sold out of state	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
-----1,000 pounds-----						
1979 Crop						
Alabama	815		815			
Florida	3,408		3,408			
Georgia	938	938				
South Carolina	10,205		802		9,399	4
North Carolina	21,637			4,480		17,157
Virginia	4,481				4,481	
Total	41,484	938	5,025	4,480	13,880	17,161
1978 Crop						
Alabama	924		924			
Florida	3,512		3,512			
Georgia	1,132	1,132				
South Carolina	14,164		1,041		13,121	2
North Carolina	28,474			5,584		22,890
Virginia	6,661				6,661	
Total	54,867	1,132	5,477	5,584	19,782	22,892

1/ Based on report of Agricultural Stabilization and Conservation Service.

Table 10--Producers' sales, value and average price by markets for flue-cured tobacco, 1979 and 1978 crops 1/

Market and state	Type 11 - Old and Middle Belt flue-cured					
	1979 crop			1978 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
Virginia:						
Brookneal	7,920,049	11,177,305	141.13	8,849,147	11,697,319	132.19
Chase City	5,691,472	8,147,133	143.15	6,283,164	8,436,578	134.27
Clarksville	5,853,452	8,363,216	142.88	6,178,655	8,324,906	134.74
Danville	37,921,267	53,448,464	140.95	42,139,256	56,141,166	133.23
Kenbridge	4,062,735	5,721,933	140.84	5,270,715	6,918,206	131.26
Lawrenceville	7,012,810	9,837,534	140.28	7,759,545	10,391,405	133.92
Martinsville	4,692,388	6,545,283	139.49	5,832,865	7,650,653	131.16
Petersburg	3,596,170	5,079,519	141.25	4,574,921	6,034,428	131.90
South Boston	17,826,603	25,257,945	141.69	20,830,484	28,248,358	135.61
South Hill	8,251,531	11,761,139	142.53	9,288,088	12,555,834	135.18
Total Virginia	102,828,477	145,339,471	141.34	117,006,840	156,398,853	133.67
North Carolina:						
Aberdeen	5,834,733	7,687,865	131.76	6,788,783	8,585,672	126.47
Burlington	3,896,864	5,399,560	138.56	7,161,846	9,083,986	126.84
Carthage	7,927,538	10,770,067	135.86	10,109,276	13,330,707	131.87
Durham	11,225,934	15,421,608	137.37	15,632,235	20,073,092	128.41
Ellerbe		No sales in 1979		893,677	1,106,048	123.76
Fuquay-Varina	19,277,084	26,247,333	136.16	23,719,401	31,249,775	131.75
Greensboro	3,370,963	4,642,553	137.72	4,985,898	6,397,820	128.32
Henderson	13,134,847	18,511,346	140.93	15,219,661	20,048,111	131.73
Louisburg	6,619,000	9,042,484	136.61	8,864,817	11,443,805	129.09
Madison	5,689,727	8,061,724	141.69	7,802,929	10,390,201	133.16
Mebane	4,333,617	6,113,384	141.07	5,449,049	7,257,751	133.19
Mt. Airy	8,894,366	12,685,864	142.63	13,325,642	17,267,653	129.58
Oxford	12,625,617	17,529,917	138.84	14,857,769	19,402,858	130.59
Reidsville	14,361,081	20,238,254	140.92	15,827,833	20,955,172	132.39
Roxboro	12,827,481	17,951,454	139.95	15,335,190	20,247,960	132.04
Sanford	10,257,018	14,151,516	137.97	12,384,222	16,391,643	132.36
Stoneville	8,629,096	12,114,661	140.39	11,406,851	15,238,454	133.59
Warrenton	6,858,577	9,312,586	135.78	8,497,929	10,854,718	127.73
Winston-Salem	34,368,843	48,778,230	141.93	46,858,272	62,011,461	132.34
Yadkinville	4,292,404	5,925,113	138.04	5,870,877	7,305,990	124.44
Total N. C.	194,424,790	270,585,519	139.17	250,992,157	328,642,877	130.94
Total type 11	297,253,267	415,924,990	139.92	367,998,997	485,041,730	131.81

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	6,623,543	8,904,906	134.44	8,478,431	10,978,669	129.49
Clinton	13,358,506	18,285,014	136.88	19,186,230	25,266,744	131.69
Dunn	10,556,237	14,110,521	133.67	16,746,920	21,403,905	127.81
Farmville	24,657,716	35,011,491	141.99	33,532,429	46,156,854	137.65
Goldsboro	25,488,855	36,301,800	142.42	32,167,565	44,079,172	137.03
Greenville	37,750,735	53,310,544	141.22	52,617,482	69,650,690	132.37
Kinston	37,083,626	52,401,739	141.31	52,639,713	70,876,289	134.64
Robersonville	5,960,619	8,391,853	140.79	8,060,221	10,539,808	130.76
Rocky Mount	24,644,125	32,903,408	133.51	32,328,065	42,690,583	132.05
Smithfield	16,407,558	22,321,539	136.04	22,251,397	29,402,457	132.14
Tarboro	3,844,702	5,006,011	130.21	6,062,318 3/	7,861,045	129.67
Wallace	8,683,748	12,131,338	139.70	12,283,979	15,874,762	129.23
Washington	6,696,952	9,314,632	139.09	10,891,085	14,327,295	131.55
Wendell	8,336,753	11,367,014	136.35	13,456,696	17,602,534	130.81
Williamston	9,744,650	13,545,358	139.00	12,655,379	16,780,924	132.60
Wilson	71,236,732	99,916,488	140.26	92,363,347	128,064,399	138.65
Windsor	8,798,376	12,086,802	137.38	11,617,871	15,335,728	132.00
Total type 12	319,873,433	445,310,458	139.21	437,339,128	586,891,858	134.20

See footnote at end of table.

Table 10--Producers' sales, value and average price by markets for flue-cured tobacco, 1979 and 1978 crops--continued 1/

Type 13 - South Carolina and Border North Carolina flue-cured						
Market and state	1979 crop			1978 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
South Carolina:						
Conway	8,269,657	11,717,421	141.69	12,624,362	17,354,641	137.47
Darlington	6,316,122	8,670,937	137.28	7,600,206	10,176,963	133.90
Dillon	2,577,823	3,586,684	139.14	3,444,149	4,517,561	131.17
Hemingway	5,379,541	7,637,112	141.97	8,312,287	11,634,107	139.96
Kingstree	6,745,271	9,442,771	139.99	8,597,456	11,482,969	133.56
Lake City	33,355,383	47,705,785	143.02	36,494,950	51,141,946	140.13
Lamar 2/		No sales in 1979		507,665	627,963	123.70
Loris	6,869,194	9,717,452	141.46	9,070,708	12,455,897	137.32
Mullins	30,108,245	42,880,792	142.42	35,058,360	48,201,859	137.49
Pamplico	4,774,055	6,760,434	141.61	6,786,061	9,267,442	136.57
Timmonsville	7,358,090	10,410,574	141.48	9,969,362	13,676,288	137.18
Total S. C.	111,753,381	158,529,962	141.86	138,465,566	190,537,636	137.61
North Carolina:						
Chadbourn	12,365,763	17,371,730	140.48	12,820,899	17,548,750	136.88
Clarkton	4,082,835	5,687,904	139.31	5,322,903	7,023,694	131.95
Fair Bluff	5,062,411	7,171,837	141.67	7,271,747	10,065,895	138.42
Fairmont	25,567,101	36,517,229	142.83	31,152,385	42,754,308	137.24
Fayetteville		No sales in 1979		1,474,037	1,884,737	127.86
Lumberton	19,535,587	27,171,669	139.09	23,434,987	31,131,395	132.84
Tabor City	8,896,254	12,735,320	143.15	12,335,617	17,086,567	138.51
Whiteville	13,557,079	19,152,812	141.28	18,922,182	26,008,886	137.45
Total N. C.	89,067,030	125,808,501	141.25	112,734,757	153,504,232	136.16
Total type 13	200,820,411	284,338,463	141.59	251,200,323	344,041,868	136.96

Type 14 - Georgia and Florida flue-cured

Georgia:	1979			1978		
	Sales Pounds	Value Dollars	Avg. Price Dollars	Sales Pounds	Value Dollars	Avg. Price Dollars
Adel	4,428,767	6,377,637	144.00	4,750,147	6,924,237	145.77
Alma	3,379,527	4,658,271	137.84	5,399,934	8,003,757	148.22
Baxley	3,112,751	4,384,968	140.87	4,330,379	5,942,939	137.24
Blackshear	5,586,232	7,845,322	140.44	8,903,204	13,265,617	149.00
Claxton	4,669,845	6,390,075	136.84	6,567,972	8,639,216	131.54
Douglas	11,464,360	16,547,074	144.33	12,529,554	18,943,595	151.19
Fitzgerald	4,232,143	6,177,280	145.96	4,004,658	5,734,525	143.20
Hahira	2,899,742	4,142,514	142.86	3,514,313	5,044,028	143.53
Hazlehurst	3,422,605	4,947,601	144.56	4,393,683	6,187,974	140.84
Metter	3,176,502	4,319,872	135.99	3,760,365	4,784,625	127.24
Moultrie	12,162,146	17,469,351	143.64	12,880,596	18,902,675	146.75
Nashville	8,645,508	12,266,122	141.88	9,373,393	13,648,073	145.60
Pearson		No sales in 1979		69,729	90,060	129.16
Pelham	5,083,540	6,989,823	137.50	7,169,623	9,898,934	138.07
Statesboro	4,206,052	5,542,546	131.78	6,018,047	7,479,315	124.28
Thomasville	2,038,700	2,665,900	130.76	1,539,980	2,134,198	138.59
Tifton	7,163,612	9,905,301	138.27	7,936,463	11,585,000	145.97
Valdosta	8,848,875	12,052,077	136.20	9,601,921	13,621,973	141.87
Vidalia	7,913,122	11,298,132	142.78	9,492,267	12,847,035	135.34
Waycross	2,533,085	3,605,802	142.35	4,126,052	6,204,307	150.37
Total Georgia	104,967,114	147,585,668	140.60	126,362,280	179,882,083	142.35
Florida:						
High Springs	3,167,074	4,266,616	134.72	2,953,913	4,083,198	138.23
Jasper	1,542,211	2,151,834	139.53	1,730,624	2,560,111	147.93
Lake City	4,255,727	5,702,179	133.99	3,938,108	5,702,090	144.79
Live Oak	8,942,009	12,240,810	136.89	8,029,200	11,901,441	148.23
Madison	2,099,134	2,737,899	130.43	2,274,116	3,248,051	142.83
Total Florida	20,006,155	27,099,338	135.46	18,925,961	27,494,891	145.28
Total type 14	124,973,269	174,685,006	139.78	145,288,241	207,376,974	142.73
Total types 11-14	942,920,380	1,320,258,917	140.02	1,201,826,689	1,623,352,430	135.07

1/ Auction sales only. Does not include carryover tobacco, nonauction sales or direct deliveries.

2/ Effective August 21, 1978, Lamar auction sales transferred to Lake City.

3/ Corrected from 1978 Flue-cured Review.

Table 11--Gross sales, value and average price by markets for flue-cured tobacco, 1979 and 1978 crops 1/

Market and state	Type 11 - Old and Middle Belt flue-cured					
	1979 crop			1978 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
Virginia:						
Brookneal	8,401,128	11,847,970	141.03	9,479,176	12,537,593	132.36
Chase City	6,096,654	8,725,015	143.11	6,680,256	8,994,799	134.65
Clarksville	6,084,236	8,693,347	142.88	6,402,327	8,597,136	134.28
Danville	39,758,737	56,100,899	141.10	43,980,501	58,630,861	133.31
Kenbridge	4,214,651	5,926,060	140.61	5,323,089	6,978,870	131.11
Lawrenceville	7,293,245	10,230,659	140.28	7,912,447	10,587,599	133.81
Martinsville	4,979,501	6,976,258	140.10	6,177,309	8,149,426	131.93
Petersburg	3,771,993	5,332,172	141.36	4,796,316	6,339,171	132.17
South Boston	18,805,004	26,634,378	141.63	21,804,642	29,547,464	135.51
South Hill	8,607,020	12,270,866	142.57	9,560,279	12,930,814	135.26
Total Virginia	108,012,169	152,737,624	141.41	122,116,342	163,293,733	133.72
North Carolina:						
Aberdeen	6,382,227	8,409,943	131.77	7,463,479	9,424,933	126.28
Burlington	4,058,803	5,627,882	138.66	7,608,864	9,642,916	126.73
Carthage	8,549,121	11,630,065	136.04	10,725,471	14,179,320	132.20
Durham	12,447,187	17,111,242	137.47	16,943,562	21,790,558	128.61
Ellerbe	No sales in 1979			1,188,884	1,391,273	117.02
Fuquay-Varina	20,781,133	28,351,600	136.43	25,435,372	33,541,371	131.87
Greensboro	3,641,708	5,017,127	137.77	5,275,994	6,776,618	128.44
Henderson	13,688,918	19,313,111	141.09	15,746,939	20,768,019	131.89
Louisburg	6,985,825	9,549,069	136.69	9,359,429	12,111,546	129.40
Madison	6,348,041	8,982,083	141.49	8,566,626	11,402,845	133.11
Mebane	4,441,227	6,268,794	141.15	5,616,110	7,483,313	133.25
Mt. Airy	9,880,896	14,088,256	142.58	14,398,669	18,706,606	129.92
Oxford	13,424,048	18,625,866	138.75	15,671,772	20,469,907	130.62
Reidsville	15,549,430	21,986,712	141.40	16,846,908	22,398,801	132.95
Roxboro	13,790,617	19,338,840	140.23	16,186,589	21,411,439	132.28
Sanford	10,771,276	14,866,900	138.02	12,846,075	17,009,066	132.41
Stoneville	9,490,655	13,362,067	140.79	12,169,127	16,283,962	133.81
Warrenton	7,295,158	9,920,396	135.99	8,964,344	11,469,367	127.94
Winston-Salem	38,795,862	55,049,359	141.89	51,648,955	68,506,158	132.64
Yadkinville	4,567,872	6,298,637	137.89	6,323,783	7,884,399	124.68
Total N. C.	210,890,004	293,797,949	139.31	268,986,952	352,652,417	131.10
Total type 11	318,902,173	446,535,573	140.02	391,103,294	515,946,150	131.92

## Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	6,976,483	9,395,682	134.68	8,956,624	11,606,291	129.58
Clinton	14,282,938	19,583,099	137.11	20,120,621	26,536,996	131.89
Dunn	11,315,072	15,125,675	133.68	17,988,486	22,955,398	127.61
Farmville	26,097,435	37,108,643	142.19	35,277,290	48,523,043	137.55
Goldsboro	27,955,651	39,852,785	142.56	34,958,484	47,908,477	137.04
Greenville	40,895,929	57,550,807	140.73	56,136,363	74,185,731	132.15
Kinston	39,637,516	55,924,247	141.09	55,687,202	74,801,352	134.32
Robersonville	6,658,992	9,250,227	138.91	8,805,987	11,493,085	130.51
Rocky Mount	25,707,736	34,294,202	133.40	33,548,082	44,316,428	132.10
Smithfield	17,440,232	23,766,112	136.27	23,597,904	31,201,377	132.22
Tarboro	4,072,442	5,302,305	130.20	6,415,293	8,303,587	129.43
Wallace	9,096,994	12,695,336	139.56	12,708,238	16,425,461	129.25
Washington	7,261,482	10,140,667	139.65	11,810,147	15,593,956	132.04
Wendell	8,796,943	11,981,235	136.20	14,283,119	18,650,986	130.58
Williamston	10,311,136	14,336,319	139.04	13,195,094	17,468,667	132.39
Wilson	76,987,715	108,013,634	140.30	99,632,054	138,063,956	138.57
Windsor	9,544,432	13,140,193	137.67	12,485,359	16,516,036	132.28
Total type 12	343,039,128	477,461,168	139.19	465,606,347	624,550,827	134.14

See footnote at end of table.

Table 11--Gross sales, value and average price by markets for flue-cured tobacco, 1979 and 1978 crops--  
continued 1/

Type 13 - South Carolina and Border North Carolina flue-cured

Market and state	1979 crop			1978 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
South Carolina:						
Conway	9,024,773	12,809,975	141.94	13,728,459	18,911,411	137.75
Darlington	6,737,041	9,280,758	137.76	7,996,481	10,715,676	134.00
Dillon	2,767,939	3,847,272	138.99	3,645,611	4,771,396	130.88
Hemingway	5,831,082	8,286,434	142.11	9,006,513	12,625,006	140.18
Kingstree	7,425,341	10,380,138	139.79	9,562,752	12,749,264	133.32
Lake City	36,359,115	51,939,999	142.85	39,489,549	55,368,500	140.21
Lamar 2/		No sales in 1979		532,690	656,038	123.16
Loris	7,416,587	10,492,710	141.48	9,835,865	13,500,579	137.26
Mullins	33,194,814	47,334,508	142.60	38,337,487	52,799,209	137.72
Pamplico	5,081,750	7,203,036	141.74	7,226,897	9,884,204	136.77
Timmonsville	8,146,372	11,538,669	141.64	10,973,930	15,096,514	137.57
Total S. C.	121,984,814	173,113,499	141.91	150,336,234	207,077,797	137.74
North Carolina:						
Chadbourn	13,724,516	19,292,136	140.57	14,004,224	19,157,690	136.80
Clarkton	4,554,699	6,330,181	138.98	5,942,453	7,777,631	130.88
Fair Bluff	5,590,182	7,912,539	141.54	7,967,968	10,980,899	137.81
Fairmont	28,207,075	40,320,667	142.95	33,958,653	46,666,139	137.42
Fayetteville		No sales in 1979		1,534,578	1,959,454	127.69
Lumberton	20,877,636	29,074,554	139.26	24,932,092	33,179,534	133.08
Tabor City	9,904,304	14,182,350	143.19	13,422,072	18,577,319	138.41
Whiteville	14,574,558	20,574,542	141.17	20,146,584	27,685,018	137.42
Total N. C.	97,432,970	137,686,969	141.31	121,908,624	165,983,684	136.15
Total type 13	219,417,784	310,800,468	141.65	272,244,858	373,061,481	137.03

Type 14 - Georgia and Florida flue-cured

Georgia:	1979			1978		
	Sales Pounds	Value Dollars	Avg. Price Dollars	Sales Pounds	Value Dollars	Avg. Price Dollars
Adel	4,854,064	6,985,521	143.91	5,176,568	7,504,908	144.98
Alma	3,670,064	5,062,316	137.94	5,660,001	8,397,675	148.37
Baxley	3,476,531	4,906,346	141.13	4,757,050	6,551,721	137.73
Blackshear	6,004,784	8,437,821	140.52	9,558,571	14,194,833	148.50
Claxton	5,232,003	7,135,606	136.38	7,641,322	9,955,817	130.29
Douglas	12,540,458	18,160,711	144.82	14,081,521	21,336,593	151.52
Fitzgerald	4,519,173	6,600,527	146.06	4,253,669	6,093,064	143.24
Hahira	3,045,284	4,354,253	142.98	3,704,418	5,312,855	143.42
Hazlehurst	3,663,379	5,295,926	144.56	4,731,577	6,656,234	140.68
Metter	3,244,751	4,408,220	135.86	3,823,627	4,859,878	127.10
Moultrie	13,897,599	19,784,215	142.36	14,639,056	21,323,115	145.66
Nashville	9,340,069	13,237,698	141.73	10,239,879	14,917,442	145.68
Pearson		No sales in 1979		69,729	90,060	129.16
Pelham	5,680,640	7,824,133	137.73	7,874,427	10,928,895	138.79
Statesboro	4,665,646	6,114,654	131.06	6,673,698	8,241,626	123.49
Thomasville	2,336,468	3,072,578	131.51	1,854,617	2,504,346	135.03
Tifton	7,930,337	10,970,613	138.34	8,683,846	12,643,614	145.60
Valdosta	9,829,236	13,349,775	135.82	10,701,109	15,111,604	141.22
Vidalia	8,772,034	12,535,744	142.91	10,635,106	14,402,750	135.43
Waycross	2,696,107	3,840,155	142.43	4,352,352	6,545,313	150.39
Total Georgia	115,398,627	162,076,812	140.45	139,112,143	197,572,343	142.02
Florida:						
High Springs	3,546,428	4,895,540	138.04	3,143,020	4,341,469	138.13
Jasper	1,609,613	2,248,130	139.67	1,804,250	2,672,548	148.13
Lake City	4,598,162	6,132,414	133.37	4,328,170	6,246,956	144.33
Live Oak	10,286,513	14,199,580	138.04	9,319,207	13,680,334	146.80
Madison	2,187,580	2,856,955	130.60	2,403,230	3,420,952	142.35
Total Florida	22,228,296	30,332,619	136.46	20,997,877	30,362,259	144.60
Total type 14	137,626,923	192,409,431	139.81	160,110,020	227,934,602	142.36
Total types 11-14	1,018,986,008	1,427,206,640	140.06	1,289,064,519	1,741,493,060	135.10

1/ Auction sales only. Does not include carryover tobacco, nonauction sales or direct deliveries.

2/ Effective August 21, 1978, Lamar auction sales transferred to Lake City.

Table 12--Resales, average price and percentage of gross sales by markets for flue-cured tobacco, 1979 and 1978 crops.

Market and state	Type 11 - Old and Middle Belt flue-cured					
	1979 crop			1978 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Virginia:						
Brookneal	481,079	139.41	5.7	630,029	133.37	6.6
Chase City	405,182	142.62	6.6	397,092	140.58	5.9
Clarksville	230,784	143.05	3.8	223,672	121.71	3.5
Danville	1,837,470	144.35	4.6	1,841,245	135.22	4.2
Kenbridge	151,916	134.37	3.6	52,374	115.83	1.0
Lawrenceville	280,435	140.18	3.8	152,902	128.31	1.9
Martinsville	287,113	150.11	5.8	344,444	144.81	5.6
Petersburg	175,823	143.70	4.7	221,395	137.65	4.6
South Boston	978,401	140.68	5.2	974,158	133.36	4.5
South Hill	355,489	143.39	4.1	272,191	137.76	2.8
Total Virginia	5,183,692	142.72	4.8	5,109,502	134.94	4.2
North Carolina:						
Aberdeen	547,494	131.89	8.6	674,696	124.39	9.0
Burlington	161,939	140.99	4.0	447,018	125.04	5.9
Carthage	621,583	138.36	7.3	616,195	137.72	5.7
Durham	1,221,253	138.35	9.8	1,311,327	130.97	7.7
Ellerbe	No sales in 1979			295,207	96.62	24.8
Fuquay-Varina	1,504,049	139.91	7.2	1,715,971	133.55	6.7
Greensboro	270,745	138.35	7.4	290,096	130.58	5.5
Henderson	554,071	144.70	4.0	527,278	136.53	3.3
Louisburg	366,825	138.10	5.3	494,612	135.00	5.3
Madison	658,314	139.81	10.4	763,697	132.60	8.9
Mebane	107,610	144.42	2.4	167,061	135.02	3.0
Mt. Airy	986,530	142.15	10.0	1,073,027	134.10	7.5
Oxford	798,431	137.26	5.9	814,003	131.09	5.2
Reidsville	1,188,349	147.13	7.6	1,019,075	141.66	6.0
Roxboro	963,136	144.05	7.0	851,399	136.65	5.3
Sanford	514,258	139.11	4.8	461,853	133.68	3.6
Stoneville	861,559	144.78	9.1	762,276	137.16	6.3
Warrenton	436,581	139.22	6.0	466,415	131.78	5.2
Winston-Salem	4,427,019	141.66	11.4	4,790,683	135.57	9.3
Yadkinville	275,468	135.60	6.0	452,906	127.71	7.2
Total N. C.	16,465,214	140.98	7.8	17,994,795	133.42	6.7
Total type 11	21,648,906	141.40	6.8	23,104,297	133.76	5.9

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	352,940	139.05	5.1	478,193	131.25	5.3
Clinton	924,432	140.42	6.5	934,391	135.94	4.6
Dunn	758,835	133.78	6.7	1,241,566	124.96	6.9
Farmville	1,439,719	145.66	5.5	1,744,861	135.61	4.9
Goldsboro	2,466,796	143.95	8.8	2,790,919	137.21	8.0
Greenville	3,145,194	134.82	7.7	3,518,881	128.88	6.3
Kinston	2,553,890	137.93	6.4	3,047,489	128.80	5.5
Robersonville	698,373	122.91	10.5	745,766	127.83	8.5
Rocky Mount	1,063,611	130.76	4.1	1,220,017	133.26	3.6
Smithfield	1,032,674	139.89	5.9	1,346,507	133.60	5.7
Tarboro	227,740	130.10	5.6	352,975	125.37	5.5
Wallace	413,246	136.48	4.5	424,259	129.80	3.3
Washington	564,530	146.32	7.8	919,062	137.82	7.8
Wendell	460,190	133.47	5.2	826,423	126.87	5.8
Williamston	566,486	139.63	5.5	539,715	127.43	4.1
Wilson	5,750,983	140.80	7.5	7,268,707	137.57	7.3
Windsor	746,056	141.19	7.8	867,488	136.06	6.9
Total type 12	23,165,695	138.79	6.8	28,267,219	133.22	6.1

Table 12--Resales, average price and percentage of gross sales by markets for flue-cured tobacco, 1979 and 1978 crops--continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and state	1979 crop			1978 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
South Carolina:						
Conway	755,116	144.69	8.4	1,104,097	141.00	8.0
Darlington	420,919	144.88	6.2	396,275	135.94	5.0
Dillon	190,116	137.07	6.9	201,462	126.00	5.5
Hemingway	451,541	143.80	7.7	694,226	142.73	7.7
Kingstree	680,070	137.83	9.2	965,296	131.18	10.1
Lake City	3,003,732	140.97	8.3	2,994,599	141.14	7.6
Lamar 1/	No sales in 1979			25,025	112.19	4.7
Loris	547,393	141.63	7.4	765,157	136.53	7.8
Mullins	3,086,569	144.29	9.3	3,279,127	140.20	8.6
Pamplico	307,695	143.84	6.1	440,836	139.91	6.1
Timmonsville	788,282	143.11	9.7	1,004,568	141.38	9.2
Total S. C.	10,231,433	142.54	8.4	11,870,668	139.34	7.9
North Carolina:						
Chadbourn	1,358,753	141.34	9.9	1,183,325	135.97	8.5
Clarkton	471,864	136.11	10.4	619,550	121.69	10.4
Fair Bluff	527,771	140.35	9.4	696,221	131.42	8.7
Fairmont	2,639,974	144.07	9.4	2,806,268	139.40	8.3
Fayetteville	No sales in 1979			60,541	123.42	3.9
Lumberton	1,342,049	141.79	6.4	1,497,105	136.81	6.0
Tabor City	1,008,050	143.55	10.2	1,086,455	137.21	8.1
Whiteville	1,017,479	139.73	7.0	1,224,402	136.89	6.1
Total N. C.	8,365,940	141.99	8.6	9,173,867	136.03	7.5
Total type 13	18,597,373	142.29	8.5	21,044,535	137.90	7.7

Type 14 - Georgia and Florida flue-cured

Georgia:	1979			1978		
	Resales	Avg. Price	Percent	Resales	Avg. Price	Percent
Adel	425,297	142.93	8.8	426,421	136.17	8.2
Alma	290,537	139.07	7.9	260,067	151.47	4.6
Baxley	363,780	143.32	10.5	426,671	142.68	9.0
Blackshear	418,552	141.56	7.0	655,367	141.79	6.9
Claxton	562,158	132.62	10.7	1,073,350	122.66	14.0
Douglas	1,076,098	149.95	8.6	1,551,967	154.19	11.0
Fitzgerald	287,030	147.46	6.4	249,011	143.99	5.9
Hahira	145,542	145.48	4.8	190,105	141.41	5.1
Hazlehurst	240,774	144.67	6.6	337,894	138.58	7.1
Metter	68,249	129.45	2.1	63,262	118.95	1.7
Moultrie	1,735,453	133.39	12.5	1,758,460	137.65	12.0
Nashville	694,561	139.88	7.4	866,486	146.50	8.5
Pearson	No sales in 1979			--	--	--
Pelham	597,100	139.73	10.5	704,804	146.13	9.0
Statesboro	459,594	124.48	9.9	655,651	116.27	9.8
Thomasville	297,768	136.58	12.7	314,637	117.64	17.0
Tifton	766,725	138.94	9.7	747,383	141.64	8.6
Valdosta	980,361	132.37	10.0	1,099,188	135.52	10.3
Vidalia	858,912	144.09	9.8	1,142,839	136.13	10.7
Waycross	163,022	143.76	6.1	226,300	150.69	5.2
Total Georgia	10,431,513	138.92	9.0	12,749,863	138.75	9.2
Florida:						
High Springs	379,354	165.79	10.7	189,107	136.57	6.0
Jasper	67,402	142.87	4.2	73,626	152.71	4.1
Lake City	342,435	125.64	7.4	390,062	139.69	9.0
Live Oak	1,344,504	145.69	13.1	1,290,007	137.90	13.8
Madison	88,446	134.61	4.0	129,114	133.91	5.4
Total Florida	2,222,141	145.50	10.0	2,071,916	138.39	9.9
Total type 14	12,653,654	140.07	9.2	14,821,779	138.70	9.3
Total types 11-14	76,065,628	140.60	7.5	87,237,830	135.42	6.8

1/ Effective August 21, 1978, Lamar auction sales transferred to Lake City.

Table 13--Rank of flue-cured markets, according to volume of producers' sales, by separate types and by all types, 1979 marketing season 1/

Type, market and state	Sales <u>Mil. lbs.</u>	Rank by:		Type, market and state	Sales <u>Mil. lbs.</u>	Rank by:	
		Separate types	All types			Separate types	All types
<u>Type 11</u>							
Danville, VA	37.9	1	2	Lake City, SC	33.4	1	6
Winston-Salem, NC	34.4	2	5	Mullins, SC	30.1	2	7
Fuquay-Varina, NC	19.3	3	13	Fairmont, NC	25.6	3	8
South Boston, VA	17.8	4	14	Lumberton, NC	19.5	4	12
Reidsville, NC	14.4	5	16	Whiteville, NC	13.6	5	17
Henderson, NC	13.1	6	19	Chadbourn, NC	12.4	6	22
Roxboro, NC	12.8	7	20	Tabor City, NC	8.9	7	30
Oxford, NC	12.6	8	21	Conway, SC	8.3	8	38
Durham, NC	11.2	9	25	Timmonsville, SC	7.4	9	43
Sanford, NC	10.3	10	27	Loris, SC	6.9	10	46
Mt. Airy, NC	8.9	11	31	Kingstree, SC	6.7	11	48
Stoneville, NC	8.6	12	36	Darlington, SC	6.3	12	52
South Hill, VA	8.3	13	39	Hemingway, SC	5.4	13	59
Carthage, NC	7.9	14	40	Fair Bluff, NC	5.1	14	61
Brookneal, VA	7.9	15	41	Pamplico, SC	4.8	15	62
Lawrenceville, VA	7.0	16	45	Clarkton, NC	4.1	16	71
Warrenton, NC	6.9	17	47	Dillon, SC	2.6	17	83
Louisburg, NC	6.6	18	51				
Clarksville, VA	5.9	19	54				
Aberdeen, NC	5.8	20	55				
Chase City, VA	5.7	21	56				
Madison, NC	5.7	22	57				
Martinsville, VA	4.7	23	63				
Mebane, NC	4.3	24	66				
Yadkinville, NC	4.3	25	67				
Kenbridge, VA	4.1	26	72				
Burlington, NC	3.9	27	73				
Petersburg, VA	3.6	28	75				
Greensboro, NC	3.4	29	78				
<u>Type 12</u>							
Wilson, NC	71.2	1	1	Moultrie, GA	12.2	1	23
Greenville, NC	37.8	2	3	Douglas, GA	11.5	2	24
Kinston, NC	37.1	3	4	Live Oak, FL	8.9	3	29
Goldsboro, NC	25.5	4	9	Valdosta, GA	8.8	4	32
Farmville, NC	24.7	5	10	Nashville, GA	8.6	5	35
Rocky Mount, NC	24.6	6	11	Vidalia, GA	7.9	6	42
Smithfield, NC	16.4	7	15	Tifton, GA	7.2	7	44
Clinton, NC	13.4	8	18	Blackshear, GA	5.6	8	58
Dunn, NC	10.6	9	26	Pelham, GA	5.1	9	60
Williamston, NC	9.7	10	28	Claxton, GA	4.7	10	64
Windsor, NC	8.8	11	33	Adel, GA	4.4	11	65
Wallace, NC	8.7	12	34	Lake City, FL	4.3	12	68
Wendell, NC	8.3	13	37	Fitzgerald, GA	4.2	13	69
Washington, NC	6.7	14	49	Statesboro, GA	4.2	14	70
Ahoskie, NC	6.6	15	50	Hazlehurst, GA	3.4	15	76
Robersonville, NC	6.0	16	53	Alma, GA	3.4	16	77
Tarboro, NC	3.8	17	74	Metter, GA	3.2	17	79
				High Springs, FL	3.2	18	80
				Baxley, GA	3.1	19	81
				Hahira, GA	2.9	20	82
				Waycross, GA	2.5	21	84
				Thomasville, GA	2.0	22	85
				Madison, FL	2.1	23	86
				Jasper, FL	1.5	24	87

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 14--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1979 crop 1/

Group and grade 2/	1979 crop Season averages					1979 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Wrappers							Wrappers
ALL	-	-	-	-	-	166	ALL
AlF	-	-	-	-	-	166	AlF
Leaf							Leaf
B1L	-	-	-	-	(159)	156	B1L
B2L	158	158	158	-	158	152	B2L
B3L	155	155	154	155	155	149	B3L
B4L	153	152	152	153	153	145	B4L
B5L	148	148	149	151	149	139	B5L
B6L	-	-	(152)	(144)	147	133	B6L
B1F	(159)	158	-	-	158	156	B1F
B2F	156	157	156	(155)	156	152	B2F
B3F	155	155	154	155	155	149	B3F
B4F	153	153	153	154	153	145	B4F
B5F	148	150	150	153	150	139	B5F
B6F	142	(142)	146	147	145	133	B6F
B1FR	-	-	-	-	-	154	B1FR
B2FR	-	153	-	-	153	150	B2FR
B3FR	153	153	-	-	153	147	B3FR
B4FR	151	152	151	150	151	144	B4FR
B5FR	146	146	147	146	146	138	B5FR
B6FR	(141)	139	-	-	141	132	B6FR
B4R	135	-	-	(145)	139	132	B4R
B5R	132	127	-	(128)	131	123	B5R
B3K	148	147	148	152	148	143	B3K
B4K	144	146	146	150	146	139	B4K
B5K	138	139	140	145	140	132	B5K
B6K	132	133	132	139	134	125	B6K
B3KR	149	150	150	151	150	141	B3KR
B4KR	145	146	146	150	146	137	B4KR
B5KR	139	139	139	144	140	131	B5KR
B3V	151	149	150	153	150	138	B3V
B4V	147	145	146	149	147	133	B4V
B5V	141	138	140	144	141	128	B5V
B3S	151	148	149	-	149	135	B3S
B4S	142	144	144	(142)	144	131	B4S
B5S	-	-	(127)	-	129	124	B5S
B3KL	145	148	151	148	148	135	B3KL
B4KL	141	142	144	145	142	131	B4KL
B5KL	136	137	138	138	137	125	B5KL
B6KL	121	(127)	(125)	(130)	126	117	B6KL
B3KF	143	144	147	148	145	135	B3KF
B4KF	138	139	142	144	140	131	B4KF
B5KF	133	134	135	139	134	125	B5KF
B6KF	128	130	128	132	129	117	B6KF
B4KV	138	136	139	141	138	126	B4KV
B5KV	133	132	133	136	133	120	B5KV
B6KV	129	128	127	132	129	113	B6KV
B3KM	148	149	149	148	149	138	B3KM
B4KM	144	145	145	147	145	135	B4KM
B5KM	138	139	140	142	140	130	B5KM
B6KM	131	133	130	136	133	119	B6KM
B4G	136	136	136	140	137	124	B4G
B5G	132	128	129	132	130	119	B5G
B6G	123	124	-	-	123	112	B6G
B5GR	124	128	-	-	125	104	B5GR
B4GK	132	135	134	136	134	119	B4GK
B5GK	129	130	129	132	130	115	B5GK
B6GK	124	125	122	127	125	109	B6GK
B5GG	123	119	116	-	119	104	B5GG

See footnotes at end of table.

Table 14--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1979 crop--continued 1/

Group and grade 2/	1979 crop Season averages					1979 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Smoking leaf							Smoking leaf
H3L	155	-	-	-	155	151	H3L
H4L	155	155	154	(155)	155	148	H4L
H5L	(153)	-	153	(155)	153	142	H5L
H6L	-	-	-	-	-	137	H6L
H1F	-	-	-	-	-	158	H1F
H2F	-	-	-	-	(156)	154	H2F
H3F	155	-	155	155	155	151	H3F
H4F	154	154	155	155	154	148	H4F
H5F	151	154	153	154	153	142	H5F
H6F	147	-	-	-	147	137	H6F
H4FR	153	(149)	-	-	152	145	H4FR
H5FR	148	(148)	155	(140)	149	139	H5FR
H6FR	(145)	-	-	-	143	132	H6FR
H4K	147	150	146	153	148	139	H4K
H5K	142	146	149	151	145	134	H5K
H6K	136	144	137	146	140	128	H6K
Cutters							Cutters
C1L	-	-	-	-	-	157	C1L
C2L	158	-	-	-	158	154	C2L
C3L	155	155	155	154	155	151	C3L
C4L	154	153	152	153	153	147	C4L
C5L	150	149	147	150	149	142	C5L
C1F	-	-	-	-	-	157	C1F
C2F	(157)	-	-	-	156	154	C2F
C3F	155	156	155	(155)	155	151	C3F
C4F	154	154	152	153	153	147	C4F
C5F	152	151	148	150	150	142	C5F
C4KR	150	150	147	148	149	139	C4KR
C4V	148	147	145	149	147	136	C4V
C4S	146	147	149	139	147	134	C4S
C4KL	144	145	144	147	144	133	C4KL
C4KM	148	147	144	146	147	135	C4KM
C4G	135	137	138	141	137	126	C4G
C4GK	138	135	135	137	136	123	C4GK
Lugs							Lugs
X1L	155	154	(154)	(154)	154	152	X1L
X2L	153	151	152	155	153	148	X2L
X3L	149	146	146	150	148	143	X3L
X4L	141	137	136	141	139	133	X4L
X5L	132	129	128	129	129	123	X5L
X1F	(155)	(155)	(155)	-	155	152	X1F
X2F	154	152	154	155	154	148	X2F
X3F	151	148	147	151	149	143	X3F
X4F	145	141	139	143	142	133	X4F
X5F	135	131	130	134	132	123	X5F
X3KR	147	143	142	146	145	135	X3KR
X4KR	141	136	137	138	138	130	X4KR
X3V	142	138	139	143	140	133	X3V
X4V	137	132	131	136	134	127	X4V
X3S	140	138	146	146	140	131	X3S
X4KL	136	130	130	138	133	122	X4KL
X4KF	139	132	129	135	135	122	X4KF
X4KV	132	127	127	126	129	115	X4KV
X3KM	142	138	138	142	140	129	X3KM
X4KM	136	133	132	136	134	123	X4KM
X4GK	127	125	121	127	125	112	X4GK
X4G	126	123	123	126	125	115	X4G
X5G	120	119	118	116	118	109	X5G

See footnotes at end of table.

Table 14--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1979 crop--continued 1/

Group and grade 2/	1979 crop Season averages					1979 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
<b>Primings</b>							
P2L	133	125	128	138	132	111	P2L
P2L sand	-	-	-	-	-	100	P2L sand
P3L	128	122	124	128	126	104	P3L
P3L sand	119	110	-	(117)	113	94	P3L sand
P4L	121	116	117	116	118	95	P4L
P4L sand	110	109	(105)	107	109	85	P4L sand
P5L	112	109	111	106	110	88	P5L
P5L sand	100	(97)	-	(93)	99	79	P5L sand
P2F	132	125	(133)	134	132	111	P2F
P2F sand	-	-	-	-	-	100	P2F sand
P3F	129	124	128	129	127	104	P3F
P3F sand	120	112	-	-	118	94	P3F sand
P4F	121	117	120	116	119	95	P4F
P4F sand	112	106	121	106	110	85	P4F sand
P5F	113	110	113	107	111	88	P5F
P5F sand	104	103	(107)	100	103	79	P5F sand
P4G	112	109	111	110	111	85	P4G
P4G sand	106	102	-	99	102	76	P4G sand
P5G	106	104	106	100	105	78	P5G
P5G sand	98	92	-	90	95	70	P5G sand
<b>Mixed:</b>							
M4F	-	-	-	-	-	123	M4F
M5F	-	-	-	-	(134)	118	M5F
M4KR	-	-	-	-	-	116	M4KR
M4KM	-	(132)	-	-	138	114	M4KM
M5KM	-	121	141	(132)	129	109	M5KM
M4GK	-	-	-	-	-	109	M4GK
M5GK	-	-	-	-	(113)	102	M5GK
<b>Nondescript</b>							
N1L	105	105	101	97	103	80	N1L
N1L sand	95	-	(102)	(95)	96	72	N1L sand
N1XL	119	115	114	119	116	93	N1XL
N1K	126	127	120	132	127	100	N1K
N1R	125	120	116	122	122	90	N1R
N1GL	101	102	101	100	101	74	N1GL
N1GL sand	90	80	-	98	90	67	N1GL sand
N1GF	114	116	112	116	115	91	N1GF
N1KV	124	123	108	127	123	90	N1KV
N1GR	120	121	(122)	128	121	86	N1GR
N1GG	(115)	103	97	101	101	83	N1GG
N1PO	100	103	104	96	101	69	N1PO
N1PO sand	92	88	(98)	89	91	62	N1PO sand
N1XO	115	114	112	116	114	81	N1XO
N1BO	126	126	128	132	128	83	N1BO
N2	90	93	90	94	92	0	N2
NOG 4/	91	92	97	95	94	0	NOG 4/
NOG-F sand	90	(114)	-	114	103	0	NOG-F sand
"W"	113	107	119	120	116	0	"W"
"U"	105	106	115	106	108	0	"U"

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 29.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, North Carolina.

4/ Includes NOG, NOG-F and scrap (\$).

## Type 11

Table 15--Average prices by weeks on representative grades and season averages, 1979 and 1978 crops

Group and grade	Week ending							
	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sept. 6	Sept. 13
B3L	-	-	-	156	154	155	155	155
B4L	-	-	-	152	152	154	154	154
B3F	-	-	-	-	154	155	155	155
B4F	-	-	-	153	153	153	154	154
B5F	-	-	-	148	150	151	151	152
B4FR	-	-	-	-	-	154	150	153
B3K	-	-	-	-	-	-	152	153
B4K	-	-	-	-	144	151	149	150
B5K	-	-	-	-	139	147	144	145
B6K	-	-	-	-	-	-	-	136
B4KR	-	-	146	-	-	148	148	149
B3V	-	-	-	154	149	151	153	154
B4V	-	-	-	145	146	148	151	151
B3KL	-	-	-	-	143	148	-	149
B4KL	-	-	-	136	141	144	145	145
B5KL	-	-	-	-	134	139	-	145
B3KF	-	-	-	-	-	148	150	147
B4KF	-	132	-	140	138	142	144	144
B5KF	-	-	130	130	134	135	140	139
B6KF	-	-	-	-	-	-	136	131
B4KV	-	-	-	-	134	142	144	145
B5KV	-	-	-	-	126	134	139	139
B3KM	-	142	150	149	149	149	152	152
B4KM	-	138	143	145	144	146	149	149
B5KM	-	-	143	139	141	142	146	144
B4GK	-	133	132	127	132	130	140	138
B5GK	-	-	126	125	125	129	137	136
H4F	-	-	-	-	-	155	154	155
H5F	-	-	-	-	-	-	155	154
H4K	-	-	-	-	-	-	155	152
H5K	-	-	-	-	-	-	-	154
C4L	-	-	149	152	153	154	155	155
C5L	-	144	144	147	150	152	154	155
C3F	-	152	-	-	155	155	156	155
C4F	-	150	150	152	154	154	155	155
C5F	-	144	145	147	151	153	153	155
C4V	-	-	141	144	147	150	151	152
C4KM	-	143	145	145	148	150	152	153
X3L	143	144	145	146	150	153	154	155
X4L	136	136	136	137	141	148	151	152
X3F	144	145	146	147	150	152	154	155
X4F	134	137	138	139	144	147	150	152
X5F	126	129	127	127	132	137	141	146
X3V	137	136	137	140	142	146	148	152
X4V	130	129	132	133	136	143	146	148
X4KV	-	-	128	126	125	135	140	142
X3KM	134	137	138	142	144	147	149	153
X4KM	128	127	132	136	138	142	145	147
X4GK	119	122	124	126	128	131	134	139
X4G	124	120	125	124	125	129	140	149
P4L	120	118	119	118	122	128	134	139
P5L	112	110	111	109	113	116	-	-
P3F	127	124	130	128	127	137	140	148
P4F	120	117	120	119	120	127	131	136
P5F	112	109	112	110	111	114	122	124
P4G	110	112	112	112	113	115	121	-
N1L	100	101	101	100	103	103	111	115
N1XL	-	-	107	107	110	113	123	130
N1GL	97	97	100	100	97	105	109	113
N1PO	96	101	100	100	98	98	106	110
N1XO	-	110	114	114	114	-	-	116
N2	85	91	84	85	84	90	97	97

## Type 11

Table 15--Average prices by weeks on representative grades and season averages, 1979 and 1978 crops

Group and grade	Week ending							Season	
	Sept. 20	Sept. 27	Oct. 4	Oct. 11	Oct. 18	Oct. 25	Nov. 1 <sup>1/</sup>	1979	1978
B3L	155	155	156	156	156	-	-	155	154
B4L	154	153	155	154	151	151	-	153	150
B3F	155	154	156	155	154	153	153	155	154
B4F	153	153	153	152	150	149	149	153	150
B5F	149	148	147	145	143	142	143	148	143
B4FR	153	153	150	150	149	146	-	151	153
B3K	150	150	149	147	150	145	144	148	145
B4K	148	145	143	142	141	140	140	144	139
B5K	142	139	137	137	135	134	134	138	132
B6K	134	134	129	133	131	132	130	132	124
B4KR	146	144	141	145	140	140	140	145	140
B3V	152	151	153	149	144	-	-	151	147
B4V	148	146	145	146	140	140	-	147	142
B3KL	150	145	138	142	138	-	-	145	141
B4KL	144	139	139	140	135	136	-	141	137
B5KL	-	-	-	-	-	-	-	136	127
B3KF	144	142	141	139	138	138	-	143	139
B4KF	139	136	135	135	133	134	133	138	134
B5KF	135	132	130	131	130	130	129	133	126
B6KF	128	127	126	129	128	129	124	128	119
B4KV	142	136	135	137	134	135	-	138	130
B5KV	139	133	131	132	132	132	129	133	125
B3KM	148	147	146	145	142	142	-	148	144
B4KM	144	141	141	141	138	138	138	144	139
B5KM	139	135	134	135	136	134	132	138	130
B4GK	135	131	129	132	130	131	-	132	128
B5GK	131	128	128	129	130	127	129	129	120
H4F	155	155	154	155	154	152	153	154	153
H5F	154	153	152	154	149	149	149	151	148
H4K	153	151	148	147	147	142	144	147	147
H5K	150	148	146	142	143	137	137	142	140
C4L	155	155	155	155	155	154	-	154	149
C5L	153	154	155	154	154	150	-	150	143
C3F	-	-	-	-	-	-	-	155	153
C4F	155	155	155	155	155	153	153	154	150
C5F	154	153	153	154	152	150	148	152	145
C4V	153	153	150	-	-	-	-	148	143
C4KM	149	149	147	147	144	-	-	148	143
X3L	155	155	154	154	154	153	-	149	143
X4L	152	151	146	152	146	149	-	141	135
X3F	154	154	154	154	154	152	-	151	145
X4F	152	150	149	150	148	143	139	145	138
X5F	144	143	139	140	136	131	131	135	126
X3V	152	-	-	-	-	-	-	142	137
X4V	147	138	143	-	142	-	-	137	130
X4KV	-	141	-	-	-	-	-	132	123
X3KM	-	152	150	149	-	-	-	142	138
X4KM	142	139	143	139	137	138	-	136	131
X4GK	-	133	-	-	-	-	-	127	121
X4G	-	-	-	-	-	-	-	126	118
P4L	-	127	-	134	134	124	-	121	109
P5L	-	-	-	-	-	116	-	112	100
P3F	-	-	-	-	-	-	-	129	124
P4F	135	127	131	123	131	125	118	121	110
P5F	130	127	122	115	119	112	108	113	101
P4G	-	-	-	-	-	-	-	112	104
N1L	119	114	112	113	109	108	99	105	91
N1XL	129	-	125	123	122	119	-	119	103
N1GL	114	-	-	-	-	101	107	101	91
N1PO	-	-	-	-	106	-	-	100	89
N1XO	-	-	-	-	-	-	-	115	99
N2	104	95	97	95	95	100	88	90	75

<sup>1/</sup> No averages shown after week of November 1 due to limited sales.

## Type 12

Table 16--Average prices by weeks on representative grades and season averages, 1979 and 1978 crops

Group and grade	Week ending							
	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sept. 6	Sept. 13
B3L	-	-	154	154	155	155	-	-
B4L	-	148	151	150	152	154	154	154
B3F	-	-	154	154	154	155	155	154
B4F	-	150	153	153	153	154	154	153
B5F	-	-	150	147	148	151	153	151
B4FR	-	-	-	155	-	154	153	152
B4K	-	-	144	146	147	150	153	149
B5K	-	-	-	141	141	147	150	146
B6K	-	-	-	-	128	139	-	141
B4KR	-	-	141	146	147	150	150	148
B3V	-	-	147	148	148	151	155	151
B4V	-	139	145	143	146	146	150	147
B3KL	-	-	-	148	149	148	151	150
B4KL	-	-	140	139	141	140	149	143
B3KF	-	-	-	153	146	148	149	145
B4KF	-	-	138	142	138	142	145	141
B5KF	-	-	133	134	134	136	140	138
B6KF	-	-	-	132	124	134	132	130
B4KV	-	-	-	143	135	138	139	141
B5KV	-	-	-	-	129	133	140	134
B3KM	-	145	147	149	150	150	152	150
B4KM	135	140	142	147	146	147	149	147
B5KM	132	132	138	140	140	144	145	143
B4GK	-	130	138	136	136	134	139	136
B5GK	117	120	128	128	126	129	132	133
B6GK	-	-	-	128	120	125	126	126
H4F	-	-	-	-	155	-	155	155
H5K	-	-	-	-	-	-	-	-
C4L	-	150	152	154	154	154	155	155
C5L	143	144	146	149	151	152	153	154
C4F	150	150	152	154	154	154	155	155
C5F	143	148	148	151	152	152	153	154
C4KR	145	-	148	148	148	153	153	152
C4V	-	141	145	148	147	150	152	152
C4KM	140	143	144	148	147	150	151	152
C4GK	-	131	131	134	138	141	142	145
X3L	144	144	146	148	150	153	148	-
X4L	135	135	136	139	143	145	147	151
X3F	144	145	148	149	152	151	151	155
X4F	136	136	139	143	145	146	150	150
X5F	126	127	127	132	132	136	141	142
X3V	136	136	139	141	143	-	-	-
X4V	130	130	132	134	138	142	-	-
X3KM	135	136	138	144	143	144	146	-
X4KM	129	130	131	136	137	140	141	144
X4GK	119	123	122	126	128	129	132	131
X4G	121	123	123	123	127	133	-	-
P3L	121	122	123	122	131	-	-	-
P4L	114	117	118	118	119	116	-	123
P5L	106	111	110	111	108	116	-	-
P3F	123	123	125	125	127	127	-	-
P4F	116	117	118	119	118	120	119	135
P5F	106	110	109	112	112	115	122	121
P4G	106	111	111	108	113	110	-	-
P5G	102	106	100	104	113	-	-	-
N1L	100	104	104	102	104	109	114	115
N1XL	112	111	110	113	113	116	126	-
N1GL	102	105	101	98	95	108	109	-
N1PO	102	106	104	97	104	105	-	103
N1XO	111	113	114	114	116	114	-	122
N1BO	-	-	-	-	-	131	-	129
N2	92	94	83	89	85	96	102	97

## Type 12

Table 16--Average prices by weeks on representative grades and season averages, 1979 and 1978 crops

Group and grade	Week ending					Season	
	Sept. 20	Sept. 27	Oct. 4	Oct. 11	Oct. 18	1979	1978
B3L	155	155	157	-	-	155	155
B4L	154	154	-	-	-	152	151
B3F	155	155	156	155	155	155	155
B4F	153	151	152	153	152	153	151
B5F	150	149	147	149	-	150	146
B4FR	153	149	146	-	-	152	153
B4K	147	144	142	144	143	146	139
B5K	140	136	136	134	137	139	134
B6K	136	132	130	130	133	133	127
B4KR	147	141	140	144	-	146	139
B3V	147	153	154	-	-	149	149
B4V	146	141	145	151	-	145	144
B3KL	148	143	147	-	-	148	145
B4KL	144	138	138	-	-	142	139
B3KF	144	140	137	-	-	144	144
B4KF	139	135	134	137	135	139	138
B5KF	135	132	130	131	132	134	132
B6KF	131	130	127	129	131	130	125
B4KV	136	134	134	134	-	136	132
B5KV	135	131	131	131	132	132	128
B3KM	148	147	145	147	145	149	144
B4KM	144	141	139	143	141	145	140
B5KM	140	135	134	136	138	139	132
B4GK	135	133	131	137	-	135	130
B5GK	134	129	129	129	129	130	124
B6GK	125	125	124	127	127	125	120
H4F	-	-	152	-	-	154	152
H5K	154	148	143	144	148	146	141
C4L	155	155	155	155	-	153	150
C5L	152	154	153	-	-	149	142
C4F	154	155	155	155	155	154	150
C5F	153	152	150	152	-	151	142
C4KR	152	151	149	-	-	150	143
C4V	151	153	145	-	-	147	144
C4KM	151	148	148	148	-	147	143
C4GK	145	131	136	-	-	135	133
X3L	154	153	154	-	-	146	144
X4L	151	146	142	-	-	137	134
X3F	154	154	153	154	155	148	146
X4F	150	147	144	145	146	141	136
X5F	141	134	130	132	129	131	125
X3V	-	-	-	-	-	138	140
X4V	-	140	-	-	-	132	130
X3KM	148	144	146	134	-	138	140
X4KM	141	137	134	135	129	133	131
X4GK	132	125	124	123	-	125	121
X4G	-	-	-	-	-	123	120
P3L	-	-	-	-	-	122	124
P4L	-	-	118	-	-	116	114
P5L	-	-	-	-	-	109	105
P3F	-	-	-	-	-	124	125
P4F	-	129	119	122	110	117	113
P5F	113	112	113	118	111	110	104
P4G	-	-	-	-	-	109	104
P5G	-	-	-	-	-	104	98
N1L	107	106	105	111	109	105	96
N1XL	128	-	114	119	-	115	106
N1GL	-	104	103	104	-	102	95
N1PO	-	93	101	105	-	103	94
N1XO	-	-	119	113	-	114	107
N1BO	127	128	125	124	-	126	121
N2	102	94	92	96	93	93	83

1/ No averages shown after week of October 18 due to limited sales.

## Type 13

Table 17--Average prices by weeks on representative grades and season averages, 1979 and 1978 crops

Group and grade	Week ending					
	July 19	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23
B3L	-	-	152	154	155	155
B4L	-	151	147	151	153	153
B3F	-	-	153	155	154	155
B4F	-	-	151	152	152	153
B5F	-	-	-	146	146	149
B4K	-	-	-	146	145	146
B5K	-	-	-	139	139	140
B6K	-	-	-	-	132	131
B4KR	-	-	147	146	146	145
B5KR	-	-	-	-	-	-
B4V	-	142	144	144	145	148
B5V	-	-	138	136	138	140
B3KL	-	-	-	146	150	150
B4KL	-	-	140	142	144	143
B3KF	-	-	-	146	149	147
B4KF	-	-	-	140	143	143
B5KF	-	-	-	134	136	134
B6KF	-	-	-	-	-	129
B5KV	-	-	-	-	129	135
B3KM	-	142	145	148	146	150
B4KM	136	140	143	144	144	145
B5KM	-	-	-	140	140	139
B4G	-	-	136	136	136	139
B4GK	-	135	134	134	132	130
B5GK	-	-	128	128	124	125
H4F	-	-	-	-	-	-
H5K	-	-	-	-	-	-
C4L	148	148	150	151	153	154
C5L	145	145	144	146	148	151
C4F	153	149	149	151	153	154
C5F	143	145	145	147	148	151
C4KR	-	144	142	146	149	147
C4V	148	142	144	146	148	150
C4KM	138	140	142	144	146	149
X3L	146	146	145	146	148	153
X4L	135	135	135	136	137	145
X5L	127	126	127	126	131	127
X3F	146	144	145	146	148	152
X4F	135	135	135	138	140	146
X5F	125	128	126	128	132	136
X3V	139	137	139	139	141	148
X4V	130	130	131	131	133	139
X3KM	132	136	136	139	141	143
X4KM	127	128	129	131	135	139
X4GK	118	119	125	122	124	123
X4G	121	122	125	123	128	124
X5G	116	119	117	116	122	116
P3L	118	126	125	124	-	-
P4L	110	121	120	119	116	-
P5L	107	112	114	111	-	-
P3F	122	129	128	127	-	133
P4F	113	123	121	119	118	127
P5F	104	116	115	115	113	118
P4G	105	114	112	116	-	-
P5G	100	108	113	-	-	-
N1L	94	104	105	99	101	108
N1XL	-	109	109	106	115	112
N1GL	95	103	103	105	108	108
N1PO	92	109	104	102	108	113
N1XO	-	112	107	108	114	122
N1BO	-	-	-	-	126	-
N2	79	91	92	93	88	89

## Type 13

Table 17--Averages prices by weeks on representative grades and season averages, 1979 and 1978 crops

Group and grade	Week ending					Season	
	Aug. 30	Sept. 6	Sept. 13	Sept. 20	Sept. 1/27	1979	1978
B3L	155	-	155	-	-	154	155
B4L	155	154	154	-	155	152	152
B3F	155	155	154	154	155	154	155
B4F	154	154	153	152	153	153	152
B5F	153	153	151	149	149	150	147
B4K	149	148	148	145	143	146	142
B5K	145	143	144	139	137	140	136
B6K	135	135	137	132	131	132	126
B4KR	150	150	148	145	142	146	144
B5KR	-	152	140	138	136	139	136
B4V	150	152	148	144	147	146	147
B5V	139	144	146	139	139	140	140
B3KL	152	152	151	154	153	151	146
B4KL	146	145	146	141	-	144	141
B3KF	151	152	146	143	144	147	144
B4KF	145	148	143	139	138	142	139
B5KF	139	142	138	135	133	135	130
B6KF	125	137	128	128	130	128	120
B5KV	127	134	138	134	131	133	127
B3KM	150	153	150	149	149	149	148
B4KM	148	149	146	143	143	145	143
B5KM	144	147	145	139	136	140	136
B4G	140	-	-	-	-	136	135
B4GK	133	143	138	135	134	134	132
B5GK	128	138	134	131	130	129	125
H4F	155	155	155	155	155	155	152
H5K	-	-	152	150	-	149	140
C4L	155	155	155	155	-	152	154
C5L	154	155	154	155	-	147	146
C4F	155	155	155	154	155	152	153
C5F	153	154	154	154	152	148	146
C4KR	153	-	153	152	151	147	150
C4V	152	-	148	-	-	145	148
C4KM	152	152	153	151	151	144	145
X3L	154	-	-	-	-	146	147
X4L	148	-	151	-	-	136	136
X5L	147	-	-	-	-	128	123
X3F	154	154	155	155	152	147	147
X4F	148	150	150	150	146	139	138
X5F	136	142	141	140	134	130	125
X3V	-	-	-	-	-	139	142
X4V	137	139	139	136	-	131	132
X3KM	149	-	150	151	-	138	142
X4KM	139	149	147	142	142	132	131
X4GK	-	-	-	-	-	121	123
X4G	-	-	-	-	-	123	121
X5G	-	-	-	-	-	118	114
P3L	-	-	-	-	-	124	128
P4L	-	-	-	-	-	117	118
P5L	-	-	-	-	-	111	106
P3F	-	-	-	-	-	128	125
P4F	120	-	-	-	129	120	115
P5F	109	-	110	115	113	113	105
P4G	-	-	-	-	-	111	108
P5G	-	-	-	109	-	106	99
N1L	108	-	96	91	111	101	94
N1XL	118	-	-	118	121	114	101
N1GL	104	-	-	-	83	101	92
N1PO	-	-	96	106	-	104	92
N1XO	108	-	127	-	117	112	101
N1BO	132	130	132	126	128	128	117
N2	90	97	91	87	100	90	79

1/ No averages shown after week of September 27 due to limited sales.

## Type 14

Table 18--Average prices by weeks on representative grades and season averages, 1979 and 1978 crops

Group and grade	Week ending										Season	
	July 19	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sept. 6	Sept. 13	Sept. 20	1979	1978
B3L	-	-	155	156	-	155	-	-	-	-	155	160
B4L	-	-	152	154	153	154	154	-	-	-	153	159
B3F	-	-	155	155	155	155	155	-	155	155	155	160
B4F	-	-	154	154	154	155	155	155	155	154	154	160
B5F	-	-	153	152	152	153	153	154	152	149	153	157
B4K	-	-	150	149	149	151	153	152	150	146	150	154
B5K	-	-	144	142	147	145	147	149	143	140	145	145
B6K	-	-	-	143	143	138	138	142	138	136	139	134
B4KR	-	-	151	150	149	148	153	149	149	148	150	155
B5KR	-	-	-	143	147	142	144	-	147	-	144	146
B4V	-	-	148	146	147	150	153	152	151	-	149	157
B5V	-	-	146	143	142	147	144	-	149	-	144	149
B4KF	-	-	149	142	141	141	145	153	147	145	144	146
B5KF	-	-	139	138	137	134	142	146	141	140	139	134
B6KF	-	-	124	126	128	127	134	134	136	-	132	125
B4KV	-	-	140	145	140	143	144	139	139	-	141	149
B5KV	-	-	128	134	132	134	136	144	137	-	136	138
B6KV	-	-	-	130	130	128	132	136	133	-	132	127
B3KM	-	-	152	147	146	150	152	-	149	146	148	158
B4KM	-	145	145	144	145	149	150	150	148	145	147	154
B5KM	-	140	140	141	142	141	144	144	144	141	142	144
B6KM	-	-	126	135	142	131	139	132	137	-	136	131
B4G	-	-	128	139	146	141	-	-	-	-	140	153
B4GK	-	135	135	133	137	134	139	138	139	136	136	141
B5GK	-	138	130	127	131	129	136	132	136	132	132	129
B6GK	-	-	125	124	125	124	125	132	131	-	127	121
H4F	-	-	155	155	155	155	155	-	154	-	155	160
H5F	-	-	-	155	154	154	155	155	154	152	154	159
H5K	-	-	-	-	153	148	154	151	152	147	151	152
C4L	152	154	154	152	150	154	-	-	-	-	153	158
C5L	-	147	152	151	149	151	-	-	-	-	150	155
C4F	-	155	152	154	153	154	155	-	-	-	153	158
C5F	-	149	148	150	150	150	154	147	-	-	150	158
C4V	-	149	150	148	149	-	-	-	-	-	149	157
C4KM	-	148	147	146	146	149	148	140	144	-	146	156
X3L	152	151	149	148	145	149	-	-	-	-	150	155
X4L	139	141	142	141	142	142	147	-	-	-	141	151
X3F	152	152	150	149	148	153	-	-	-	-	151	155
X4F	139	143	143	143	142	141	148	146	143	140	143	152
X5F	-	133	133	132	135	131	138	138	139	128	134	142
X3V	144	145	140	137	-	-	-	-	-	-	143	153
X4V	132	136	138	134	137	-	-	-	-	-	136	148
X3KM	146	145	141	138	138	-	-	-	-	-	142	153
X4KM	137	137	135	134	137	133	143	-	134	-	136	146
X4GK	128	128	126	129	124	120	-	-	-	-	127	136
X4G	130	127	124	126	132	-	-	-	-	-	126	137
X5G	110	115	117	116	119	-	-	-	-	-	116	132
P3L	125	130	128	128	119	-	-	-	-	-	128	142
P4L	111	119	116	115	117	122	120	-	-	-	116	132
P5L	99	106	106	114	-	112	-	-	-	-	106	122
P3F	127	128	132	140	-	-	-	-	-	-	129	144
P4F	114	118	113	117	122	114	119	-	115	-	116	129
P5F	104	107	105	111	111	112	114	-	-	-	107	119
P4G	112	110	111	101	108	-	-	-	-	-	110	119
P5G	103	96	104	100	-	97	-	-	-	-	100	109
NIL	94	94	93	96	100	102	107	-	-	117	97	106
N1K	-	-	-	124	127	126	138	144	129	-	132	124
N1GL	94	95	100	103	-	100	108	-	-	-	100	105
N1PO	92	94	97	104	94	-	105	-	-	-	96	106
N1XO	-	104	107	116	115	124	129	-	-	-	116	129
N1BO	-	-	127	124	132	127	134	134	136	139	132	128
N2	88	83	85	90	88	99	103	93	104	101	94	84

1/ No averages shown after week of September 20 due to limited sales.

BRIEF OF FLUE-CURED TOBACCO GRADES

Type 11--Old Belt and Middle Belt flue-cured tobacco produced principally in the piedmont sections of Virginia and North Carolina.

Type 12--Eastern North Carolina flue-cured tobacco produced principally in the coastal sections of North Carolina.

Type 13--South Carolina and Border North Carolina flue-cured tobacco produced principally in the coastal sections of South Carolina and the southeastern counties of North Carolina.

Type 14--Georgia and Florida flue-cured tobacco produced principally in southern Georgia and northern Florida.

KEY TO STANDARD TRADEMARKS

Groups	Qualities	Color symbols		Combination symbols
A - Wrappers	1 - Choice	L - Lemon	V - Greenish	XL - Lug side
B - Leaf	2 - Fine	F - Orange	GR - Green red	PO - Oxidized primings
H - Smoking leaf	3 - Good	FR - Orange red	GK - Green variegated	XO - Oxidized lugs or cutters
C - Cutters	4 - Fair	R - Red	GG - Gray green	BO - Oxidized leaf
X - Lugs	5 - Low	K - Variegated	KL - Variegated lemon	GL - Thin-bodied nondescript
P - Primings	6 - Poor	KR - Variegated red or scorched	KF - Variegated orange	GF - Medium-bodied nondescript
M - Mixed		G - Green	KV - Variegated greenish	
N - Nondescript			KM - Variegated mixed	
S - Scrap				
		Special symbol		
		S - slick		

SUMMARY OF STANDARD GRADES

2 grades of wrappers	24 grades of leaf	16 grades of smoking leaf	10 grades of cutters
ALL A1F	B1L B1F B1FR B2L B2F B2FR B3L B3F B3FR B4L B4F B4FR B4R B4K B5L B5F B5FR B5R B5K B6L B6F B6FR B6K	H1F H2F H3L H3F H4L H4F H4FR H4K H5L H5F H5FR H5K H6L H6F H6FR H6K	C1L C1F C2L C2F C3L C3F C4L C4F C5L C5F
10 grades of lugs	8 grades of primings	6 grades of greenish	15 grades of variegated
X1L X1F X2L X2F X3L X3F X4L X4F X5L X5F	P2L P2F P3L P3F P4L P4F P5L P5F	B3V X3V B4V C4V X4V B5V	B3KL B3KF B4KL B4KF B4KV C4KL X4KL X4KF X4KV B5KL B5KF B5KV B6KL B6KF B6KV
7 grades of mixed	15 grades of green	7 grades of variegated mixed	
M4F M4KR M4KM M4GK M5F M5KM M5GK	B4G B4GK C4G X4G X4GK P4G B5G B5GR B5GK B5GG C4GK X5G P5G B6G B6GK	B3KM X3KM B4KM C4KM X4KM B5KM B6KM	

6 grades of variegated red or scorched	5 grades of slick	13 grades of nondescript	1 grade of scrap
B3KR X3KR B4KR C4KR X4KR B5KR	B3S X3S B4S C4S B5S	N1L N1R N1KV N1PO N1XL N1GL N1GR N1XO N1K N1GF N1GG N1BO N2	S

Special factors "U" (unsound) and "W" (doubtful-keeping order) may be applied to all grades. Tobacco not covered by the standard grades is designated "No-G" or "No-G-F."

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming group beginning with the 1977 crop.

Table 19--Percentage distribution by groups for flue-cured types, 1975 to 1979 2/

		Type 11							
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1975	1/	45.2	10.5	7.6	16.4	10.4	-	7.4	2.5
1976	-	59.1	1.8	6.9	14.0	9.9	-	7.6	0.7
1977	-	54.0	1.2	3.7	12.4	6.3	0.1	21.2	1.1
1978	-	56.3	2.8	11.5	14.1	8.6	-	5.6	1.1
1979	-	58.3	2.7	9.2	15.4	9.8	-	3.7	0.9

Table 21--Percentage distribution by colors for flue-cured types, 1975 to 1979 crops 2/

## Type 11

Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1975	9.1	44.7	1.9	0.3	21.7	9.4	-	1/	3.0	7.4	2.5
1976	8.5	26.8	0.7	0.1	18.3	25.1	4.5	-	7.7	7.6	0.7
1977	3.2	17.3	0.3	0.3	10.6	31.5	3.5	-	11.0	21.2	1.1
1978	12.2	29.3	0.6	-	14.2	27.2	4.0	0.3	5.5	5.6	1.1
1979	10.2	32.0	1.1	0.1	16.2	26.5	4.2	-	5.1	3.7	0.9

## Type 12

1975	10.1	43.2	4.5	1/	22.6	8.9	-	1/	3.1	5.6	2.0
1976	9.9	38.7	4.4	-	17.6	14.4	3.3	0.1	5.1	5.5	1.0
1977	4.4	14.6	0.9	0.1	11.8	27.0	2.4	-	10.0	27.7	1.1
1978	9.9	20.8	0.6	-	7.1	42.7	3.4	0.4	8.4	5.8	0.9
1979	8.5	20.3	1.0	-	8.2	45.1	3.1	0.2	8.5	4.5	0.6

## Type 13

1975	11.6	43.5	0.3	1/	16.9	15.7	-	0.1	3.7	4.2	4.0
1976	10.4	46.6	0.3	-	14.4	12.1	4.2	0.3	4.4	5.3	2.0
1977	6.5	19.4	0.1	-	13.9	25.9	3.6	-	10.7	18.0	1.9
1978	10.1	27.7	0.1	-	10.3	33.1	5.6	0.2	7.4	4.5	1.0
1979	8.9	29.5	0.2	-	8.9	35.1	6.9	0.3	5.7	3.5	1.0

## Type 14

1975	15.9	41.3	1.2	1/	17.0	12.5	-	0.1	2.3	5.0	4.7
1976	17.0	37.4	1.6	0.1	10.6	14.6	4.6	1.0	5.5	4.6	3.0
1977	3.3	14.0	0.1	-	13.1	26.8	2.9	-	10.8	21.1	7.9
1978	6.8	20.2	0.1	-	12.8	32.0	5.2	0.1	10.4	9.9	2.5
1979	7.5	29.4	0.1	-	16.5	26.8	3.0	0.1	7.9	6.5	2.2

Table 22--Percentage distribution by groups, qualities and colors for flue-cured types 11-14, 1975 to 1979 crop 2/

## Group

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1975	1/	48.2	8.9	8.5	14.4	11.4	-	5.7	2.9
1976	-	57.1	3.0	8.9	12.1	11.4	-	6.1	1.4
1977	-	50.4	1.2	4.1	13.0	6.3	0.1	22.7	2.2
1978	-	58.2	1.6	10.1	14.4	8.5	-	6.0	1.2
1979	-	58.5	1.4	9.7	16.6	8.5	-	4.3	1.0

## Quality

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1975	0.1	0.7	13.7	49.4	24.9	2.6	5.7	2.9
1976	0.3	1.2	18.1	50.0	20.6	2.3	6.1	1.4
1977	0.1	0.2	4.9	31.5	28.1	10.3	22.7	2.2
1978	-	0.5	13.1	50.7	25.1	3.4	6.0	1.2
1979	-	0.5	14.0	55.6	22.1	2.5	4.3	1.0

## Color

Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1975	10.9	43.5	2.4	1/	20.3	11.1	-	1/	3.2	5.7	2.9
1976	10.4	36.2	2.0	-	16.4	17.5	4.0	0.2	5.8	6.1	1.4
1977	4.2	16.5	0.5	0.1	12.0	28.2	3.1	-	10.5	22.7	2.2
1978	10.2	24.8	0.5	-	10.6	34.6	4.3	0.3	7.5	6.0	1.2
1979	8.9	27.1	0.8	0.1	12.1	34.6	4.3	0.2	6.6	4.3	1.0

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1975 may be found in the 1976 and earlier issues of the market review.

Table 23--Percentage distribution by grades for flue-cured tobacco types 11-14, 1979 crop

Group and grade	1979 Crop				Group and grade	1979 Crop			
	11	12	13	14		11	12	13	14
Wrappers					Smoking leaf				
A1L	—	—	—	—	H3L	.009	—	.001	.002
A1F	—	—	—	—	H4L	.038	.011	.035	.016
Total A	—	—	—	—	H5L	.006	.002	.027	.010
Leaf					H6L	—	—	.001	.007
B1L	.005	—	.003	—	H1F	.001	—	—	—
B2L	.047	.016	.032	.003	H2F	.004	—	.003	—
B3L	.485	.211	.529	.139	H3F	.067	.001	.055	.042
B4L	.641	.364	.734	.275	H4F	.456	.133	.190	.410
B5L	.084	.071	.128	.210	H5F	.330	.069	.095	.382
B6L	.003	.001	.009	.010	H6F	.010	—	.002	.003
B1F	.006	.020	—	—	H4FR	.071	.007	—	.004
B2F	.154	.094	.074	.012	H5FR	.054	.036	.020	.030
B3F	2.488	1.671	2.186	1.585	H6FR	.009	.004	—	—
B4F	10.333	4.584	8.383	7.457	H4K	.666	.070	.037	.320
B5F	2.303	1.348	4.197	4.679	H5K	.728	.211	.052	.672
B6F	.034	.007	.070	.080	H6K	.227	.102	.015	.167
B1FR	—	—	—	—	Total H	2.676	.646	.533	2.065
B2FR	.004	.012	—	—	Cutters				
B3FR	.078	.153	.003	—	C1L	—	—	—	—
B4FR	.557	.637	.082	.056	C2L	.011	.003	—	—
B5FR	.307	.192	.096	.054	C3L	.083	.037	.054	.032
B6FR	.005	.011	—	.003	C4L	1.090	.788	1.005	.442
B4R	.011	—	.001	.010	C5L	.686	.526	.920	.288
B5R	.133	.036	—	.012	C1F	—	—	—	—
B3K	.771	.085	.124	.060	C2F	.006	.003	—	—
B4K	7.131	2.476	3.582	5.534	C3F	.118	.132	.120	.024
B5K	3.888	2.336	2.279	6.412	C4F	2.261	1.637	1.859	1.158
B6K	.774	.631	.398	1.508	C5F	1.980	1.344	2.108	.895
B3KR	.202	.249	.230	.273	C4KR	.279	.323	.390	.136
B4KR	.986	1.164	1.210	.827	C4V	.649	.486	.970	.407
B5KR	.276	.342	.297	.356	C4S	.041	.065	.053	.016
B3V	.370	.277	1.114	.149	C4KL	.189	.204	.125	.024
B4V	1.371	.909	2.444	.744	C4KM	1.586	4.624	2.854	1.614
B5V	.273	.180	.347	.348	C4G	.080	.092	.112	.100
B3S	.012	.048	.109	.003	C4GK	.189	.569	.316	.232
B4S	.014	.028	.081	.016	Total C	9.248	10.833	10.886	5.368
B5S	—	—	.009	.006	Lugs				
B3KL	.166	.221	.404	.052	X1L	.010	.012	.010	.017
B4KL	.487	.553	.712	.244	X2L	.131	.067	.036	.100
B5KL	.095	.108	.086	.248	X3L	1.527	1.159	1.283	.867
B6KL	.007	.010	.006	.015	X4L	1.197	1.673	1.857	.995
B3KF	.627	.594	1.264	.087	X5L	.179	.340	.408	.146
B4KF	5.218	5.209	5.719	1.889	X1F	.007	.009	.008	.007
B5KF	2.626	3.495	2.364	2.366	X2F	.115	.055	.035	.112
B6KF	.497	.814	.302	.594	X3F	1.969	1.076	1.436	1.549
B4KV	.391	.440	.259	.332	X4F	3.223	2.713	3.768	3.192
B5KV	.640	.932	.380	.996	X5F	1.005	1.457	1.837	1.349
B6KV	.251	.382	.070	.417	X3KR	.095	.083	.133	.074
B3KM	1.432	3.544	3.394	1.283	X4KR	.170	.165	.182	.103
B4KM	7.247	14.448	10.577	7.980	X3V	.690	.501	.814	.587
B5KM	1.836	4.155	2.385	4.291	X4V	.880	.662	1.237	.799
B6KM	.164	.370	.133	.464	X3S	.044	.191	.038	.066
B4G	.212	.158	.284	.173	X4KL	.121	.165	.084	.094
B5G	.115	.092	.153	.158	X4KF	.157	.074	.078	.113
B6G	.015	.023	.004	.004	X4KV	.278	.211	.179	.171
B5GR	.020	.014	—	.007	X3KM	.805	1.596	1.398	1.287
B4GK	1.312	2.686	1.625	1.421	X4KM	1.707	2.911	2.229	2.114
B5GK	.939	1.791	.739	1.903	X4GK	.535	1.078	.683	1.014
B6GK	.246	.440	.103	.494	X4G	.376	.406	.551	.637
B5GG	.018	.056	.043	—	X5G	.155	.266	.310	.374
Total B	58.307	58.688	59.757	56.239	Total X	15.376	16.870	18.594	15.767

Table 23--Percentage distribution by grades for flue-cured tobacco types 11-14, 1979 crop--continued

Group and grade	1979 Crop				Group and grade	1979 Crop			
	11	12	13	14		11	12	13	14
Primings					Nondescript				
P2L	.268	.141	.050	.205	N1L	.680	.549	.538	.764
P2L sand	.003	--	--	--	N1L sand	.026	.024	.007	.018
P3L	1.387	1.061	.440	1.574	N1XL	.206	.207	.386	.267
P3L sand	.018	.037	.004	.020	N1K	.214	.171	.121	.943
P4L	1.655	1.412	.994	1.624	N1R	.072	.100	.019	.069
P4L sand	.058	.041	.008	.035	N1GL	.385	.429	.374	.182
P5L	.460	.427	.322	.464	N1GL sand	.016	.013	--	.041
P5L sand	.029	.009	--	.011	N1GF	.051	.110	.079	.246
P2F	.058	.015	.015	.054	N1KV	.103	.174	.030	.255
P2F sand	.003	--	--	--	N1GR	.084	.103	.012	.042
P3F	.846	.664	.307	1.222	N1GG	.006	.012	.021	.036
P3F sand	.034	.014	--	.010	N1PO	.420	.498	.431	.785
P4F	2.488	1.971	1.678	3.353	N1PO sand	.049	.017	.010	.071
P4F sand	.078	.037	.012	.088	N1XO	.077	.414	.365	.311
P5F	1.542	1.221	1.084	1.656	N1BO	.239	.249	.328	.595
P5F sand	.059	.014	.009	.094	N2	1.051	1.404	.788	1.868
P4G	.461	.514	.437	.907	Total N	3.679	4.474	3.509	6.493
P4G sand	.012	.016	--	.054					
P5G	.329	.287	.301	.396					
P5G sand	.027	.016	.001	.032					
Total P	9.815	7.897	5.662	11.799					
Mixed									
M4F	.001	--	.001	--	No grade	.374	.346	.358	.826
M5F	.001	.004	.001	.001	NOGF sand	.012	.004	.004	.044
M4KM	.003	.006	.001	.004	W - unsafe	.054	.026	.072	.133
M5KM	.003	.020	.016	.014	U - Unsound	.451	.178	.605	1.244
M4GK	--	.004	--	.002					
M5GK	--	.004	.001	.001					
Total M	.008	.038	.020	.022	Grand total	100.000	100.000	100.000	100.000

Table 24--Breakdown of marketings by selected groupings for the 1979 crop

Groupings	Types				
	11	12	13	14	11-14
Straight grades (mature to mellow)	63.745	41.042	54.480	56.551	53.111
Variegated (KL,KF,KV,KM)	26.533	45.086	35.019	26.693	34.629
Slick (S grades)	.111	.332	.290	.107	.224
Green (includes rank)	5.041	8.512	5.663	7.909	6.729
Nondescript	3.679	4.474	3.509	6.493	4.281
No grade 1/ Total	.891	.554	1.039	2.247	1.026
	100.000	100.000	100.000	100.000	100.000

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade NOGF.

Table 25--Percentage distribution by grades for all flue-cured 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1977	1978	1979		1977	1978	1979
Wrappers				B4G	.155	.226	.204
A1L	---	---	---	B5G	.181	.151	.121
A1F	---	---	---	B6G	.042	.023	.014
Total A	---	---	---	Total BG	.378	.400	.339
Leaf				B5GR	.156	.088	.012
B1L	.009	.008	.002	B4GK	.964	1.656	1.857
B2L	.027	.089	.027	B5GK	2.487	1.696	1.313
B3L	.138	.536	.356	B6GK	2.118	.569	.314
B4L	.152	.726	.518	Total BGK	5.569	3.921	3.484
B5L	.037	.150	.106	B5GG	.020	.077	.034
B6L	.002	.001	.005	Total B	50.386	58.157	58.470
Total BL	.365	1.510	1.014				
B1F	.023	.008	.008	Smoking leaf			
B2F	.104	.108	.098	H3L	.011	.020	.003
B3F	1.088	2.133	2.026	H4L	.019	.051	.025
B4F	3.488	6.352	7.589	H5L	.007	.019	.010
B5F	1.622	2.763	2.710	H6L	---	.002	.001
B6F	.076	.062	.039	Total HL	.037	.092	.039
Total BF	6.401	11.426	12.470	H1F	.001	.001	---
B1FR	---	---	---	H2F	.003	.002	.002
B2FR	.004	.003	.005	H3F	.060	.072	.039
B3FR	.052	.056	.077	H4F	.263	.358	.283
B4FR	.241	.258	.414	H5F	.151	.260	.199
B5FR	.104	.101	.189	H6F	.010	.008	.004
B6FR	.014	.005	.006	Total HF	.488	.701	.527
Total BFR	.415	.423	.691	H4FR	.008	.023	.025
B4R	.007	.001	.005	H5FR	.011	.017	.027
B5R	.138	.015	.055	H6FR	.003	.001	.004
Total BR	.145	.016	.060	Total HFR	.022	.041	.056
B3K	.312	.260	.305	H4K	.204	.160	.283
B4K	4.210	3.940	4.583	H5K	.315	.399	.401
B5K	4.391	3.449	3.359	H6K	.146	.161	.131
B6K	1.655	.834	.744	Total HK	.665	.720	.815
Total BK	10.568	8.483	8.991	Total H	1.212	1.554	1.437
B3KR	.108	.163	.234	Cutters			
B4KR	.323	.637	1.073	C1L	.001	.003	---
B5KR	.136	.183	.314	C2L	.012	.020	.004
Total BKR	.567	.983	1.621	C3L	.107	.192	.055
B3V	.151	.414	.469	C4L	.348	1.283	.883
B4V	.816	1.309	1.362	C5L	.260	.911	.629
B5V	.309	.344	.268	Total CL	.728	2.409	1.571
Total BV	1.276	2.067	2.099	C1F	.001	---	---
B3S	.007	.067	.044	C2F	.009	.014	.003
B4S	.010	.056	.034	C3F	.103	.129	.110
B5S	---	.002	.003	C4F	.735	1.531	1.816
Total BS	.017	.125	.081	C5F	.929	1.701	1.647
B3KL	.026	.548	.220	Total CF	1.777	3.375	3.576
B4KL	.093	1.074	.525	C4KR	.117	.235	.292
B5KL	.059	.266	.118	C4V	.363	.777	.631
B6KL	.019	.021	.009	C4S	.005	.100	.048
Total BKL	.197	1.909	.872	C4KL	.058	.306	.158
B3KF	.283	1.051	.680	C4KM	.736	2.376	2.886
B4KF	3.070	6.030	4.874	C4G	.084	.125	.094
B5KF	5.692	4.378	2.827	C4GK	.213	.369	.350
B6KF	4.051	1.003	.575	Total C	4.081	10.072	9.606
Total BKF	13.096	12.462	8.956	Lugs			
B4KV	1.124	.371	.371	X1L	.011	.024	.011
B5KV	2.526	.748	.730	X2L	.052	.114	.085
B6KV	1.748	.335	.278	X3L	.416	1.216	1.261
Total BKV	5.398	1.454	1.379	X4L	.510	1.154	1.472
B3KM	.526	2.315	2.546	X5L	.122	.215	.278
B4KM	2.981	7.522	10.488	Total XL	1.111	2.723	3.107
B5KM	1.944	2.757	3.066	X1F	.014	.007	.008
B6KM	.367	.299	.267	X2F	.058	.068	.077
Total BKM	5.818	12.893	16.367	X3F	.629	1.101	1.497
			X4F	2.424	2.820	3.165	

Table 25--Percentage distribution by grades for all flue-cured--continued 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1977	1978	1979		1977	1978	1979
X5F	1.751	1.271	1.383	P4G	.401	.537	.534
Total XF	4.876	5.267	6.130	P4G sand	.073	.055	.016
X3KR	.030	.064	.096	P5G	.964	.470	.318
X4KR	.073	.120	.162	P5G sand	.168	.061	.018
Total XKR	.103	.184	.258	Total PG	1.606	1.123	.886
X3V	.325	.523	.639	Total P	6.329	8.587	8.536
X4V	1.123	.900	.872	Mixed			
Total XV	1.448	1.423	1.511	M4F	.018	.004	---
X3S	.007	.072	.095	M5F	.017	.004	.002
X4KL	.046	.212	.124	Total MF	.035	.008	.002
X4KF	.216	.165	.106	M4KR	---	.001	---
X4KV	1.426	.330	.220	M4KM	.006	.009	.004
X3KM	.219	.817	1.264	M5KM	.010	.013	.013
X4KM	.968	1.677	2.280	Total MKM	.016	.022	.017
Total XKM	1.187	2.494	3.544	M4GK	.009	.003	.001
X4GK	1.135	.826	.814	M5GK	.043	.005	.001
X4G	.581	.433	.459	Total MGK	.052	.008	.002
X5G	.853	.294	.255	Total M	.103	.039	.021
Total XG	1.434	.727	.714	Nondescript			
Total X	12.989	14.423	16.623	N1L	1.949	.851	.617
Primings				N1L sand	.292	.083	.012
P2L	.019	.103	.163	N1XL	.567	.312	.253
P2L sand	.002	.005	.001	N1K	.884	.308	.211
P3L	.164	.875	1.098	N1R	.829	.064	.070
P3L sand	.031	.056	.022	N1GL	3.525	.622	.438
P4L	.744	1.545	1.427	N1GL sand	.365	.063	.015
P4L sand	.139	.143	.039	N1GF	.723	.125	.103
P5L	.757	.670	.420	N1KV	1.510	.209	.131
P5L sand	.157	.081	.013	N1GR	1.848	.126	.069
Total PL	2.013	3.478	3.183	N1GG	.017	.015	.015
P2F	.003	.022	.034	N1PO	.376	.655	.498
P2F sand	---	.001	.001	N1PO sand	.092	.116	.033
P3F	.053	.376	.719	N1XO	.168	.348	.284
P3F sand	.010	.033	.016	N1BO	.645	.352	.309
P4F	.757	1.792	2.256	N2	8.876	1.711	1.223
P4F sand	.116	.155	.052	Total N	22.666	5.960	4.281
P5F	1.538	1.472	1.351	No grade 2/	2.234	1.208	1.026
P5F sand	.233	.135	.038	Grand total	100.000	100.000	100.000
Total PF	2.710	3.986	4.467				

1/ Table shows new grades added in 1977 as well as grades authorized in previous years.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order and unsound. Also, includes grade NOGF sand which totaled 0.012 percent in 1979

Table 26--Average price by grade group and type for flue-cured tobacco, 1979 and 1978 crops

Type	1979 crop							1978 crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	'P	M	N
11	144	148	151	142	121	135	104	138	145	146	134	108	138	89
12	143	149	149	137	116	124	105	139	148	144	134	110	121	95
13	146	153	148	136	117	141	105	141	144	147	135	114	130	95
14	147	153	150	140	117	135	107	147	154	157	146	124	139	107
11-14	145	149	150	139	118	130	105	140	147	147	136	111	127	95

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
WASHINGTON, DC 20250



POSTAGE & FEES PAID  
United States Department of Agriculture  
**AGR 101**

-----  
OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
FCR

THIRD CLASS